



Bag-In-Box



Apex offers a full line of high quality bag-in-box racks, pumps, parts and accessories for beverage dispensing systems.



DISPENSING *Refreshing* RESULTS





T5000 Series BIB Pumps are gas driven (CO₂/air) diaphragm pumps that provide superior performance and reliability for dispensing bag-in-box syrups, juice concentrate, teas, wines, and liquor.

- New air inlet quick disconnect ports allow for easy CO₂ installation and servicing
- New glass filled polypropylene body material for improved resistance to harsh syrups
- Snap-on bracket allows for easier maintenance and service as well as simple slide mounting to BIB racks





T5000-130

Pump Design:	Positive Displacement, Double Diaphragm
Power Source:	CO ₂ Gas, Nitrogen or Compressed Filtered Air
Materials of Construction: (Wetted Parts)	Polypropylene, Santoprene, EPDM, 302 or 304 Stainless Steel Spring
Temperature Limits:	34 - 120 °F (1.1 - 49 °C)
Remote Supply Capability:	4 x 3.0 oz (89 ml) valves (each dispenses at 0.5 oz/sec) 2 x 4.5 oz (133 ml) valves (each dispenses at 0.75 oz/sec)
Weight:	1.19 lbs (0.54 kg)
Dimensions:	5.26"H x 6.18"W x 2.89"D (133.6 mm x 156.8 mm x 73.5 mm)
Displacement:	2.5 oz per cycle
Self Priming:	Up to 10 ft (3.05 m)
Operating Pressure:	20 PSI (1.4 bar) min / 80 PSI (5.5 bar) max
Flow Rate:	4.0 oz (118.3 ml) /sec - Open Flow
Approvals:	CE, NSF Standard 18
Warranty:	5 Years



Part Number	Liquid In	Liquid Out	Gas Inlet	Notes
T5000-130	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Plastic Barb	
T5000-135	N/A	N/A	N/A	Service Pump
T5000-145	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Barb Tee	With Glide Bracket
T5000-146	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Barb Elbow	With Glide Bracket
T5000-149	3/8" Plastic Barb on ASV	None	None	Service Pump w/ASV
T5000-158	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Elbow	With Glide Bracket
T5000-167	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Barb Tee	With Glide Bracket
T5000-169	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Barb	With Glide Bracket
T5000-172	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Barb	With Glide Bracket
T5000-174	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Offset Tee	With Glide Bracket
T5000-175	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Offset Tee	With Glide Bracket
T5000-176	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Offset Left Hand Brass Elbow	With Glide Bracket
T5000-177	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Offset Right Hand Brass Elbow	With Glide Bracket



Auto Shut-Off For 5000 Series Pumps

Part Number	Description
20308-130	Auto Shut-Off Valve



20308-130




G55 Series BIB Pumps are designed for dispensing bag-in-box syrups, juice concentrates (without pulp or particulate), teas, wines, draught beer and liquor.

- Highest flow rate available
- High CO2 inlet pressure capability for long runs - up to 90 PSI (6.2 bar)
- Ultimate performance and reliability with extended service life
- Built-in auto shutoff, automatically shuts off pump when bag is empty and restarts when a full bag is connected
- Easy installation with all quick disconnect ports
- Quiet operation
- High altitude shutoff also available
- Recyclable materials



G55-1012A


Pump Design:	Positive Displacement, Double Diaphragm
Power Source:	CO2 Gas, Nitrogen or Compressed Filtered Air
Materials of Construction: (Wetted Parts)	Polypropylene, Santoprene, EPDM, 302 or 304 Stainless Steel Spring
Temperature Limits:	34 - 120 °F (1.1 - 49 °C)
Remote Supply Capability:	4 x 3.0 oz (89 ml) valves (each dispenses at 0.5 oz/sec) 2 x 4.5 oz (133 ml) valves (each dispenses at 0.75 oz/sec)
Weight:	1.19 lbs (0.54 kg)
Dimensions:	5.26"H x 6.18"W x 2.89"D (133.6 mm x 156.8 mm x 73.5 mm)
Displacement:	2.5 oz per cycle
Self Priming:	Up to 10 ft (3.05 m)
Operating Pressure:	20 PSI (1.4 bar) min / 80 PSI (5.5 bar) max
Flow Rate:	4.0 oz (118.3 ml) /sec - Open Flow
Approvals:	CE, NSF Standard 18
Warranty:	5 Years



Part Number	Liquid In	Liquid Out	Gas Inlet	Notes
G55-1000A	N/A	N/A	N/A	Service Pump
G55-1012A	3/8" SS Straight Barb	1/4" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small
G55-1022A	3/8" SS Straight Barb	3/8" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small
G55-1072	1/4" SS Straight Barb	1/4" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small

G80 Pulpjet Series BIB Pumps are designed for dispensing bag-in-box syrups, juice concentrates which have pulp and particles up to 1/8" or 3mm.

Pump Design:	Positive Displacement, Double Diaphragm
Check Valve:	Duckbill Valve Patent Pending
Power Source:	CO2 Gas, Nitrogen or Compressed Dry Filtered Air
Materials of Construction: (Wetted Parts)	Polypropylene, Santoprene®, EPDM, AISI 303 & 304 Stainless Steel
Temperature Limits:	34 - 120 °F (1.1 - 49 °C)
Weight:	1.24 lbs (0.56 kg)
Dimensions:	5.27"H x 3.21"W x 4.58"D (133.8 mm x 81.5 mm x 116.3 mm)
Displacement:	3.2 oz per cycle
Self Priming:	Up to 6 ft (1.83m)
Operating Pressure:	20 PSI (1.4 bar) min / 80 PSI (5.5 bar) max
Liquid Inlet Pressure:	30 PSI (2.1 bar) max
Flow Rate:	6.0 oz (177.4 ml) /sec - Open Flow
Approvals:	NSF listed, CE



Part Number	Liquid In	Liquid Out	Gas Inlet	Notes
G80E022A	3/8" SS Straight Barb	3/8" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small



Pump Kits

Part Number	Pump Type	# of Pumps	Bracket Type	BIB Connector(s)	Liquid Outlet
T5000-810A	T5000	1	Universal	Coke	3/8" SS Barb
T5000-630	T5000	1	Universal	Encore Pepsi	3/8" SS Barb
T5000-220A	T5000	2	Universal	QCDII	3/8" SS Barb
T5000-820A	T5000	2	Universal	Coke	3/8" SS Barb
T5000-230A	T5000	3	Universal	QCDII	3/8" SS Barb
T5000-230B	T5000	3	Universal	Encore Pepsi	3/8" SS Barb
T5000-233A	T5000	3	Universal	QCDII	1/4" SS Barb
T5000-830A4	T5000	3	Universal	Coke	1/4" SS Barb
T5000-503	T5000	3	Flat panel	Coke	3/8" SS Barb
T5000-830A	T5000	3	Universal	Coke	3/8" SS Barb
T5000-840A	T5000	4	Universal	Coke	3/8" SS Barb
T5000-866A	T5000	6	Universal	Coke	3/8" SS Barb
G55-102WA	G55	2	Universal	N/A	3/8" SS Barb
G55-102BM	G55	2	Universal	Coke	3/8" SS Barb
G55-102XA	G55	3	Universal	N/A	3/8" SS Barb
G55-102CA	G55	3	Universal	Coke	3/8" SS Barb
G55-102DA	G55	4	Universal	Coke	3/8" SS Barb
G55-102DE	G55	4	Universal	Encore Pepsi	3/8" SS Barb



T5000-830A



G55-102CA

Electric BIB Pumps

Part Number	Description
2125-504C	Electric Beverage Pump, 115V, 45 PSI, 3/8" Barb
BIB5000A	BevJet, Electric BIB Pump System, 3/8" Barb Inlet And Outlet, 0.6 GPM, 40 PSI, 115V (Not For Liquids With Pulp or Particulates)



2125-504C



BIB5000A

Bottled Water Systems

Part Number	Description
BW5000-000A	Bottled Water Dispensing System, 115V, Cord With Plug



BW5000-000A

Accessories

Part Number	Description
01600230A	Transfer Valve, Industrial Grade Withstands Harsh Fluids
01600231A	Transfer Valve, High Altitude
01600530A	Transfer Valve With 3/8" Barb Swivel Elbows
01740-003S	Strainer, 3/8" In/Out, 40 Mesh SS Screen



**01600230A
01600231A**



01600530A



01740-003S

**Apex offers a full line of BIB pump and tubing labels.
Please visit www.totalapex.com or call us at 877.901.APEX (2739).**



Pump Labels



Tubing Labels



Flojet Brackets

Part Number	Description
20272-003	Bracket, Slider, G Series
20982-100A	Bracket, Universal (5000 & G Series)
21000-325A	Bracket, 8 Pump, Plastic (5000 Series)
21000-563	Bracket, Slider, 90 Degree (5000 Series)
21000-255B	Bracket For Mounting Flojet Transfer Valve

20272-003

21000-325A

20982-100A

21000-563

21000-255B

Flojet CO2 Fittings

Part Number	Description
01510-000	CO2 Fitting, 1/4" Barb, Brass, Straight (5000 & G)
1520-000	CO2 Fitting, 1/4" Barb, Brass, Tee (5000 & G)
1521-000	CO2 Fitting, 1/4" Barb, Brass, Elbow (5000 & G)
1522-000	CO2 Fitting, 1/4" Barb, Brass, Offset Tee
1523-000	CO2 Fitting, 1/4" Barb, Brass, Offset Elbow, Left
1524-000	CO2 Fitting, 1/4" Barb, Brass, Offset Elbow, Right
20325-033	CO2 Fitting, 1/4" Barb, Plastic Straight (5000 Series)

01510-000

1520-000

1521-000

1522-000

1523-000

1524-000

20325-033

Flojet Product Fittings

Part Number	Description
3144	Product Fitting, Flojet Port to 1/4" Barb, SS
3143	Product Fitting, Flojet Port to 3/8" Barb, SS
3145	Product Fitting, Flojet Port to 1/2" Barb, SS
7096	Product Fitting, Flojet Inlet 90°, 1/4" Barb, SS
7100	Product Fitting, Flojet Inlet 90°, 3/8" Barb, SS
7482	Product Fitting, Flojet Port 45° With 3/8" Barb U-Bend, SS
20381-026	Product Fitting, Flojet Straight 3/8" - 1/2" Barb, Plastic

7096
7100

3144
3143
3145

7482

20381-026

Electric Pump Fittings

Part Number	Description
91010-003	Electric Pump Fitting, 1/4" Male NPT x 3/8" Barb 90° Elbow
91010-032	Electric Pump Fitting, 3/8" Male NPT x 1/4" Barb Straight


91010-0003

91010-0032




Shurflo Pumps are heavy duty, gas-driven (CO₂ /Air) diaphragm pumps; designed for the dispensing of bag-in-box (BIB) syrups, teas, juices, and wines.

- Straight, short syrup path for consistent, efficient delivery
- High volume per stroke for maximized pump life
- Operating pressure to 85 PSI [5.86 bar] can handle the most difficult installations; suitable for all pumping needs
- 5-year warranty



Part Number	Liquid In	Liquid Out	Gas in	Notes
94-360-00	3/8" Plastic Barb Elbow	1/4" Stainless Steel Barb Elbow	1/4" Plastic Barb Elbow With Check Valve	
94-360-05	3/8" Black Plastic Barb Elbow	3/8" Black Plastic Barb Elbow	1/4" Plastic Barb Elbow With Check Valve	Juice
94-360-31	3/8" Plastic Barb Elbow	3/8" Stainless Steel Barb Elbow	1/4" Plastic Barb Tee With Check Valve	
94-360-38	3/8" Plastic Barb Elbow	3/8" Stainless Steel Barb Elbow	1/4" Plastic Barb Elbow With Check Valve	
94-360-40	3/8" Plastic Barb Elbow	1/4" Stainless Steel Barb Elbow	1/4" Plastic Barb Tee With Check Valve	
94-360-65	3/8" Plastic Barb Elbow	1/2" Stainless Steel Barb Elbow	1/4" Plastic Barb Elbow With Check Valve	Juice
94-440-62BC	3/8" Plastic Barb Elbow	1/4" Stainless Steel Barb Elbow	1/4" Brass Barb Elbow And 1/4" Brass Barb Tee, Both With Check Valves	2 Pump Kit With Connectors
94-441-48	N/A	N/A	N/A	Service Pump

Shurflo Brix Pumps eliminate brix adjustments with a set portion delivery, ensuring a consistent, repeatable ratio on every beverage. The ratio is determined by the pump design and is precisely maintained, independent of system flow or pressure changes. A built-in vacuum shutoff automatically stops the pump when the Bag-in-Box (BIB) container is completely evacuated by closing off the inlet water to the pump. When a new BIB is installed, the pump will automatically start without priming the system.




94-260-01

Brix Pumps

Part Number	Description
94-260-01	Brix Pump, 3:1, White
94-260-03	Brix Pump, 4:1, White
WPS-2	2 Flavor Shurflo Brix Pump Autofill Kit

Other Brix Pumps Available Upon Request




WPS-2



Pump Panels

Part Number	Description
R03-2PB	Metal Pump Panel For 2 Pumps
R03-3PB	Metal Pump Panel For 3 Pumps
22-243-04	4 Pump Slide-On Mounting Bracket
R03-8PMPPNL	Metal Pump Panel For 6-8 Pumps
06-2022-00	Screw For Pump Panel



Shurflo Product Fittings

Part Number	Description
7112	Liquid Fitting, 1/4" Shurflo Outlet 90° Elbow
7113	Liquid Fitting, 3/8" Shurflo Outlet 90° Elbow
94-178-26	Liquid Fitting, 3/8" Barb Elbow, Polypro, Juice
94-012-00	Liquid Fitting, 3/8" Barb Elbow With Double O-Rings



Shurflo CO2 Fittings

Part Number	Description
94-178-16	Gas Fitting, 1/4" Barb Elbow With Check Valve, Plastic
94-178-17	Gas Fitting, 1/4" Barb Tee With Check Valve, Plastic
94-178-22	Gas Fitting, 1/4" Barb Elbow With Check Valve, Brass
94-178-23	Gas Fitting, 1/4" Barb Tee With Check Valve, Brass



Shurflo Accessories

Part Number	Description
94-054-00	Vacuum Regulator With Fittings
84-010-00	Reverse Flow Inhibitor With Fittings
84-1166-00	Check Valve With Fittings
94-350-08	Automatic Bag Selector
94-056-00	3-Way Sanitizing Valve With 3/8" Barb Elbow Fittings
94-753-00	Shurflo Pump Mounting Base Plate Kit
94-359-10-KIT	Quick Disconnect Clips For Shurflo Pump, 2 Liquid 1 Gas
94-359-50	Quick Disconnect Clips For Shurflo Red Clip Pumps, 100 Liquid Clips And 50 Gas Clips





BIB Connectors

Part Number	Description
33020	Connector QCD II, Gray
33230	Connector Encore, Green
33231	Connector Encore, Burgundy
82-0291/02	Connector, Coca-Cola, Red
82-2566/02	Connector, Domestic Diet Coca-Cola, White
82-1788/02	Connector 3/8" Plastic, White
82-1790/02	Connector 3/8" Plastic, Green
82-2911/03	Connector 3/8" Plastic, Yellow
265724	Connector 2710L Versi With 3/8" Tee Barb, Blue
265726	Connector 2710L Versi With 3/8" 90° Barb, Blue
201184	Connector T, 3/8" Scholle, 8599-19-052, Black
202004	Connector L, 3/8" Scholle, 1900L, Black



33020



33230



33231



20-1104-20



82-2566/02



82-0291/02



82-1788/02



82-1790/02



82-2911/03



265724



265726



201184



202004

BIB Cleaning Adapters

Part Number	Description
20-1110-20	Adapter CC Sanitizer, 3/8" Barb, Red
20-1710-30	Adapter Scholle Sanitizer, Blue
33085	Adapter Encore Pepsi Sanitizer, 3/8" Barb, Green
CA-Q51F	Flush Adapter QCD II, Translucent



20-1110-20



20-1710-30



33085



CA-Q51F

Liquid Box QCD Parts

Part Number	Description
28007	QCD O-Ring, Poppet Valve, EP009
28009	QCD O-Ring, Probe, EP015
28011	QCD O-Ring, Stem, EP115
31041	QCD II Cap



31041



28007

BIB Faucet

Part Number	Description
1000228	HFSR Faucet, Liqui-Box




1000228




BIB Racks

Part Number	Description
R03-0101	BIB Rack 1 Box Wide Inclined Shelf With Glide Panels 15"W
R03-01FH	BIB Rack 1 Box Wide Flat Shelf With Hole Panels 15"W
R03-01TS	Top Shelf 1 Box Wide With Hole Panels 15"W
R03-0201	BIB Rack 2 Box Wide Incline Shelf With Glide Panels 27"W
R03-02FV	BIB Rack 2-3 Box Wide Vertical Flat Shelf With Glide Panels 28"W
R03-02HB	BIB Pump Mount 2 Box Wide 2 Bars For 6 Pumps With Glide Panels 27"W
R03-02VHB	BIB Pump Mount 2/3 Box Wide Vertical Rack 2 Bars With Glide Panels 28"W
R03-02TS	Top Shelf With Glide Panels For 2 Boxes Wide Inclined Rack 27"W
R03-02VTS	Top Shelf With Glide Panels For 2 Box Wide Vertical Rack 28"W
HY-0114	BIB Flex Rack 2 Shelves High With Riser 28"W
R03-0301	BIB Rack 3 Box Wide Incline Shelf With Glide Panels 39"W
R03-03FV	BIB Rack 3-4 Box Wide Vertical Flat Shelf With Glide Panels 39"W
R03-03HB	BIB Pump Mount 3 Box Wide 2 Bars For 8 Pumps With Glide Panels 39"W
R03-03CPM	BIB Rack 3 Boxes Wide Vertical Rack Center Pump Mount 39"W
R03-03TS	Top Shelf With Glide Panels For 3 Boxes Wide Inclined Or Flat Rack 39"W
01-1848	BIB Rack Connector For Flex Rack 1" Black
50-1020-00	BIB Rack Connector For Stacking Shelves 2" Black Plastic
50-1019-00	BIB End Caps 1" Square Tubing Black Plastic
6C524027HDP	BIB Rack Caster Wheel 4" Diameter
BCASTER	BIB Rack Caster With Insert

- Incline or Flat
- Welded Construction
- Durable, Powder-Coated Finish
- Integrated Bracket for Pump or Regulator Mounting
- ETL listed
- **Apex custom pre-assembly available upon request**



*Inclined Shelf With
Glide Panels*



*Vertical Flat Shelf With
Glide Panels*



*Flat Shelf
With Hole Panels*



*Center Pump Mount With
Glide Panels*



*Top Shelf With
Glide Panels*



*Pump Mount With
Glide Panels*



HY-0114 Flex Rack



01-1848



50-1020-00



50-1019-00



6C524027HDP



BCASTER



Nexel Poly-Z-Brite Rack Systems

Nexel Poly-Z-Brite

Part Number	Description
222-02Z	Nexel Cart Unassembled 24" x 24" With (2) 18" x 24" Inside Shelves, Casters And Stainless Steel Overlay Top, Poly-Z-Brite
223-02Z	Nexel Cart Unassembled 24" x 36" With (2) 14" x 24" Interior Shelves, Casters And Stainless Steel Overlay Top, Poly-Z-Brite
224-02Z	Nexel Cart Unassembled 24" x 48" With (2) 14" x 36" Interior Shelves, Casters And Stainless Steel Overlay Top, Poly-Z-Brite
MA1424Z	Shelf, 14" x 24", Wire, Poly-Z-Brite
MA1436Z	Shelf, 14" x 36", Wire, Poly-Z-Brite
MA1448Z	Shelf, 14" x 48", Wire, Poly-Z-Brite
MA1830Z	Shelf, 18" x 30", Wire, Poly-Z-Brite
MA2430Z	Shelf, 24" x 30", Wire, Poly-Z-Brite
MA2436Z	Shelf, 24" x 36", Wire, Poly-Z-Brite
MA2442Z	Shelf, 24" x 42", Wire, Poly-Z-Brite
MA2448Z	Shelf, 24" x 48", Wire, Poly-Z-Brite
S2160Z	Shelf, 21" x 60", Wire, Poly-Z-Brite


- Ideal for juice cart applications
- Poly-Z-Brite features a true powder-epoxy over zinc-chromate electroplating that ensures a strong durable finish that resembles the look of chrome, yet handles temperature and moisture extremes even better
- Ten Year Limited Warranty against rust and corrosion
- Poly-Z-Brite also includes Nex Gardan anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew that causes stains, odors and product degradation
- **Apex custom pre-assembly available upon request**

Nexel Posts

Part Number	Description
P34Z	Post 34", Poly-Z-Brite
P74Z	Post 74", Poly-Z-Brite
P96C	Post 96", Chrome

Nexel Accessories

Part Number	Description
AF	Plate, Foot
AM	Shelf Clip, 4 Pack, Nexel
AP	Cap, Post
CA5SBR	Caster, Swivel, Set of 4, 2 With brake



MA1424Z



AF



AM



AP



P74Z



CA5SBR

Many other products are available on our website.

If you don't see what you need, please visit www.totalapex.com or call us at 877.901.APEX (2739).



About APEX

Apex Beverage Equipment Distribution Group, LLC is a nationally-recognized beverage equipment distribution company proud to represent the finest beverage dispensing equipment, parts and accessories available in the industry.

Apex is staffed with industry veterans who have an extensive history of technical knowledge and the versatility to understand and assist our customers on a daily basis. Our knowledgeable staff strives to gain a thorough understanding of our customers' needs in order to develop valuable solutions. Our success is derived from our people.

Centrally located, Apex has a vast supply of beverage dispensing equipment, components and replacement parts readily available for every fountain, ice, juice, beer, frozen, coffee, tea or water filtration installation, service and maintenance need.

Apex is a service-oriented, solution provider with the ability to customize parts kits, BIB rack systems, pump panels, juice carts, and also offers re-manufacturing services.

Apex works diligently with manufacturers and logistics companies to continuously offer the most cost effective solutions to our customers. Timely delivery with attention to detail is our primary goal.





565 E. Fullerton Ave., Carol Stream, IL 60188 T: 877-901-APEX (2739) F: 877-902-APEX (2739) www.totalapex.com