

Beverage Dispensing Equipment



Apex offers a full line of high quality dispensers, parts and accessories for carbonated and non-carbonated soda fountain drinks, juices, water, ice, coffee and tea.

We have a wide variety of models to choose from: ice drink, countertop, bubbler, tower, drop-in, ice chest, portable bar, or cocktail station, and a knowledgeable sales team ready to help you find the best dispensing solution.



DISPENSING *Refreshing* RESULTS



Lancer is a leading manufacturer and marketer of beverage dispensing systems serving customers throughout the world.

POST-MIX CARBONATED SODA DISPENSERS

Self-Serve Ice Beverage Dispensers

The IBD is Lancer's #1 selling self-serve dispenser. Hard plumbed syrup and water lines deliver excellent icy cold drinks. Versatile valve configurations and a portion control option allow for easy beverage cost monitoring. Topped with a compelling wraparound display, the IBD is a favorite.

- Stainless steel construction; exterior and interior
- Illuminated merchandiser delivers high-impact marketing messages
- High capacity ice storage bin and drip tray are fully insulated to control condensation
- Unique hex drive ice agitation and dispense drive system for trouble free operation and long service life
- Nugget or Pearl Ice® dispense capability is available with an IBD conversion kit, please call for details
- Plumbing access front and rear for installation flexibility
- Flex manifold allows easy transition from carbonated to non-carbonated drinks
- Push button, portion control, crew serve or EasyFill valves optional
- Key lock switch
- Other valve types are available

IBD4500 22" Ice Beverage Dispenser, Six Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-4526H-111-GB	IBD 22" Dispenser 6 LEV Self-Serve Lever Cube Ice	Generic	3-2-1
85-4526H-111	IBD 22" Dispenser 6 LEV Self-Serve Lever Cube Ice	Coca-Cola	3-2-1
85-4526H-111PEP	IBD 22" Dispenser 6 LEV Self-Serve Lever Cube Ice	Pepsi-Cola	3-2-1
85-4526N-111	IBD 22" Dispenser 6 LEV Self-Serve Lever Nugget Ice	Coca-Cola	3-2-1
85-4526N-111-GB	IBD 22" Dispenser 6 LEV Self-Serve Lever Nugget Ice	Generic	3-2-1
82-4931	Adapter for 22" Ice-O-Matic Ice Maker		
KCUBEDISP	Bin Thermostat Required When Mounting Ice-O-Matic CIM Series Ice Maker		
16-1578	Cabinet Stand for 22" Dispenser, Assembled, 22"W x 29"D x 30"H		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		
Ice Storage	180 lbs		
Electrical	115/60		
Dimensions	22"W x 30.5"D x 35.375"H		



[16-1578](#)



[85-4526H-111-GB](#)

IBD4500 25" Ice Beverage Dispenser, Eight Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-4528H-111-GB	IBD 25" Dispenser 8 LEV Self-Serve Lever Cube Ice	Generic	3-1-1-3
85-4528H-111	IBD 25" Dispenser 8 LEV Self-Serve Lever Cube Ice	Coca-Cola	3-1-1-3
82-4933	Adapter for 25" Ice-O-Matic Ice Maker		
KCUBEDISP	Bin Thermostat Required When Mounting Ice-O-Matic CIM Series Ice Maker		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		
Ice Storage	205 lbs		
Electrical	115/60		
Dimensions	25"W x 30.5"D x 35.375"H		



[85-4528H-111-GB](#)

Visit www.totalapex.com for a complete list of Ice Adapter Kits



DISPENSING EQUIPMENT

IBD4500 30" Ice Beverage Dispenser, Eight or Ten Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-4548H-111-GB	IBD 30" Dispenser 8 LEV Self-Serve Lever Cube Ice	Generic	3-1-1-3
85-4548H-111	IBD 30" Dispenser 8 LEV Self-Serve Lever Cube Ice	Coca-Cola	3-1-1-3
85-4548H-111-PEP	IBD 30" Dispenser 8 LEV Self-Serve Lever Cube Ice	Pepsi-Cola	3-1-1-3
85-4548N-101-GB	IBD 30" Dispenser 8 LEV Push Button Nugget Ice	Generic	3-1-1-3
85-4548N-111	IBD 30" Dispenser 8 LEV Self-Serve Lever Nugget Ice	Coca-Cola	3-1-1-3
85-4548N-111-GB	IBD 30" Dispenser 8 LEV Self-Serve Lever Nugget Ice	Generic	3-1-1-3
85-4541H-111-GB	IBD 30" Dispenser 10 LEV Self-Serve Lever Cube Ice	Generic	3-1-2-1-3
85-4541H-111	IBD 30" Dispenser 10 LEV Self-Serve Lever Cube Ice	Coca-Cola	3-1-2-1-3
85-4541N-111	IBD 30" Dispenser 10 LEV Self-Serve Lever Nugget Ice	Coca-Cola	3-1-2-1-3
85-4541N-111-GB	IBD 30" Dispenser 10 LEV Self-Serve Lever Nugget Ice	Generic	3-1-2-1-3
82-4932	Adapter for 30" Ice-O-Matic Ice Maker		
KCUBEDISP	Bin Thermostat Required When Mounting Ice-O-Matic CIM Series Ice Maker		
16-1579	Cabinet Stand for 30" Dispenser, Assembled, 30"W x 29"D x 30"H		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		
Ice Storage	250 lbs		
Electrical	115/60		
Dimensions	30"W x 30.5"D x 35.375"H		



85-4541H-101-GB



16-1579

IBD4500 44" Ice Beverage Dispenser, Twelve Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-4562H-111-GB	IBD 44" Dispenser 12 LEV Self-Serve Lever Cube Ice	Generic	3-2-1-1-2-3
85-4562H-111	IBD 44" Dispenser 12 LEV Self-Serve Lever Cube Ice	Coca-Cola	3-2-1-1-2-3
82-4931	(Qty 2) Adapters for 22" Ice-O-Matic Ice Maker		
KCUBEDISP	Bin Thermostat Required When Mounting Ice-O-Matic CIM Series Ice Maker		
Ice Storage	360 lbs		
Electrical	115/60		
Dimensions	44"W x 30.5"D x 35.375"H		



85-4562H-111-GB

IBD4500 60" Ice Beverage Dispenser, Sixteen or Twenty Drink Options

Part Number	Description	Graphic Package	Flex Manifold
75-9999-090301	IBD 60" Dispenser 16 LEV Self-Serve Lever Cube Ice	Generic	3-1-1-3-3-1-1-3
75-9999-090302	IBD 60" Dispenser 20 LEV Self-Serve Lever Cube/Nugget Ice	Generic	3-1-1-3-3-1-1-3
75-9999-090303	IBD 60" Dispenser 20 LEV Self-Serve Lever Nugget Ice	Coca-Cola	3-1-1-3-3-1-1-3
82-4932	(Qty 2) Adapters for 30" Ice-O-Matic Ice Maker		
KCUBEDISP	Bin Thermostat Required When Mounting Ice-O-Matic CIM Series Ice Maker		
Ice Storage	500 lbs		
Electrical	115/60		
Dimensions	60.75"W x 30.5"D x 35.375"H		



75-9999-090301

Push Button, Portion Control, Crew Serve or EasyFill valves are available on all IBD dispensers



Sensation Ice Beverage Dispensers

With the Sensation 44 you can offer your customers multiple beverage options including the ability to dispense cubed or chewable ice, 12 different flavor options and up to eight bonus shots. Available in stainless steel or matte black with an option to have enhanced connectivity with a 32" diagonal video merchandiser.

- Dispenses nugget, Pearl Ice® or cubed ice without a change to the equipment
- User friendly side ice delivery for more efficient dispensing
- Environmentally friendly LED lighting improves presentation
- Heavy duty stainless steel construction throughout
- Optional stainless steel or matte black exterior on 44" dispensers
- Plumbing access front and rear for installation flexibility
- Serviceable parts are located on the front of the unit for easy access
- Key lock switch



[85-4962B-211](#)



[85-4962B-211-03](#)

Sensation 44" Ice Beverage Dispenser, Twelve Drink Options

Part Number	Description	Exterior Finish	Flex Manifold
85-4962B-211	IBD44 4900, 12 LPV Valves, No Bonus Flavors	Stainless Steel	3-1-1-1-1-1-1-3
85-4962B-111	IBD44 4900, 12 LEV Valves, No Bonus Flavors	Stainless Steel	3-1-1-1-1-1-1-3
85-4962B-211B	IBD44 4900, 12 LPV Valves, No Bonus Flavors	Black Exterior	3-1-1-1-1-1-1-3
85-4962B-211-03	IBD44 4900, 12 LPV Valves, No Bonus Flavors, Extended Splash Plate, No Drip Tray	Stainless Steel	3-1-1-1-1-1-1-3
85-4962B-08-111	IBD44 4900, 12 LEV Valves, 8 Bonus Flavors	Stainless Steel	3-1-1-1-1-1-1-3
85-4962B-08-211	IBD44 4900, 12 LPV Valves, 8 Bonus Flavors	Stainless Steel	3-1-1-1-1-1-1-3
85-4962B-08-211-03	IBD44 4900, 12 LPV Valves, 8 Bonus Flavors, Extended Splash Plate No Drip Tray	Stainless Steel	3-1-1-1-1-1-1-3
85-4962B-08-211B	IBD44 4900, 12 LPV Valves, 8 Bonus Flavors	Black Exterior	3-1-1-1-1-1-1-3

Ice Storage 312 lbs

Electrical 115/60

Dimensions 44"W x 31"D x 39.375"H

Accepts 22", 30" and 44" wide ice makers (adapters may be required)
Manual front load access when ice maker installed
Variable automatic agitation timer



[85-4962B-211B](#)



[85-4962B-08-211](#)

Sensation 30" Ice Beverage Dispenser, Eight Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-4848-111	IBD30 4800, 8 LEV Valves, No Bonus Flavors, Stainless Steel Exterior	Generic	3-1-1-3
85-4848-111-01	IBD30 4800, 8 LEV Valves, No Bonus Flavors, Stainless Steel Exterior	Coca-Cola	3-1-1-3
16-1578	Conversion Stand for 22" Dispenser, Assembled, 22"W x 29"D x 30"H		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		

Ice Storage 250 lbs

Electrical 115/60

Dimensions 30"W x 31"D x 37.25"H

Accepts 22" and 30" wide ice makers (adapters may be required)
Manual front load access when ice maker installed
Variable automatic agitation timer



[16-1578](#)



[85-4962B-08-211-03](#)



[85-4848-111](#)



TwinPour® 44" Ice Beverage Dispensers

Two-time International award-winning Twin Pour™ features dual touch screens, along with two versatile ice dispensers and a programmable and wifi enabled LCD video merchandiser. With up to 266 flavor combinations, including carbonated and non-carbonated, and our proprietary FluidicFlow™ dispensing technology ensures there is no flavor transfer, for the perfect drink every time.

- Now with Lancer Link™ for real-time dispenser health monitoring and beverage performance data
- Up to 266 flavor combinations, including carbonated and non-carbonated water
- Total carb/non-carb flexibility (10 chilled / 2 ambient per nozzle)
- Up to 8 bonus flavors (4 per nozzle)
- Serve two customers at once
- Two 7" LED touch screens
- Two versatile ice dispense points for all ice types; including chewable ice
- Built in redundancy ensures maximum uptime
- Programmable and WIFI enabled LCD merchandiser
- Programmable LED target lighting
- LFCV 4.0 oz. (multi-flavor)
- 2 Key lock switches
- Pump deck and ice adapter included



[85-4980B-08/01](#)

TwinPour 44" Ice Beverage Dispenser, 266 Flavor Options

Part Number	Description	Flavor Possibilities
85-4980B-08/01	Twin Pour 44" With Ice Adapter, LFCV Valves, GB Graphics	266
85-4980B-08-03/01	Twin Pour 44" Extended Splash Plate, No Drip Tray, LFCV Valves, GB Graphics	266
TWINPOUR44-32	LCD 32" Video Merchandiser For 44" Twin Pour	
Ice Storage	312 lbs	
Electrical	115/60	
Dimensions	44"W x 31"D x 39.375"H	

IBD Bold 30i™ 30" Cold Carb Ice Beverage Dispensers

Lancer™ Worldwide's IBD Bold 30i™ is the most advanced beverage dispensing solution on the market today. Equipped with a cutting-edge touchscreen to enhance your beverage dispensing experience, it delivers versatility, aesthetics, and superior beverage quality, all backed by our best-in-class warranty and Lancer Link™ IoT integration. The IBD Bold 30i™ propels your beverage dispensing into the next generation for a hassle-free and highly profitable ownership experience.

- Now with Lancer Link™ for real-time dispenser health monitoring and beverage performance data
- Carb/non-carb flexibility
- Serve up to 24 different brands (16 chilled / 8 ambient)
- Dispense any ice type reliably, including chewable ice, no additional kit needed
- Large, programmable LCD merchandiser
- Programmable LED target lighting
- LFCV 4.0 oz. (multi flavor)
- Pump deck included



[85-4844T](#)

IBD Bold 30i™ Ice Beverage Dispenser, Twenty-Four Drink Options

Part Number	Description
85-4844T	IBD Bold 30i, 30"W, LFCV Valves, Programmable, IoT Drink Data
85-4844T-NB	IBD Bold 30i 30"W, LFCV Valves, Programmable, No Bonus, IoT Drink Data
Ice Makers	22" or 30"
Electrical	115/60
Dimensions	30"W x 34.25"D x 40.6"H



Flavor Select Cold Carb Ice Beverage Dispensers

The Flavor Select (FS) offers up to 200 flavor combinations featuring state-of-the-art cold carbonation technology the FS provides a consistently pleasing drink experience. Enhanced ice dispensing capability allows customers to dispense cube or cubelet ice, on demand.

- "Lite Touch" draws attention to your more profitable fountain section
- "Air Mix" nozzles blend syrup and water in midair for consistent drink delivery
- Illuminated, easily interchangeable merchandiser
- Large capacity, removable drip tray & cup rest
- Three ice bin fill options: ice maker production, manual loading, or both
- Dosing or blending available for bonus flavors
- Field configurable; front connection for products
- Lancer™ Flow Control Valves (LFCV)
- Key lock switch

FS 22" Ice Beverage Dispenser, Eight Drink Options

Part Number	Description	Graphic Package	Flavor Possibilities
85-14408-06-2	IBD 22" 8 Drink/ 6 Bonus Flavors Cube Ice	Generic	50
85-14408N-06-2	IBD 22" 8 Drink/ 6 Bonus Flavors Nugget Ice	Generic	50
16-1578	Conversion Stand for 22" Dispenser, Assembled, 22"W x 29"D x 30"H		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		
Ice Storage	200 lbs		
Electrical	115/60		
Dimensions	22"W x 30.5"D x 40.25"H		



[16-1578](#)



[85-14408-06-2](#)

FS 30" Ice Beverage Dispenser, Sixteen Drink Options

Part Number	Description	Graphic Package	Flavor Possibilities
85-14816-00	IBD 30" 16 Drink/ 0 Bonus Flavors Cube Ice	Generic	16
85-14816N-00	IBD 30" 16 Drink/ 0 Bonus Flavors Nugget Ice	Generic	16
85-14816-12	IBD 30" 16 Drink/ 12 Bonus Flavors Cube Ice	Generic	100+
85-14816N-12	IBD 30" 16 Drink/ 12 Bonus Flavors Nugget Ice	Generic	100+
85-14816-12-A	IBD 30" 16 Drink/ 12 Bonus Flavors ADA Cube Ice	Generic	100+
85-14816N-12-A	IBD 30" 16 Drink/ 12 Bonus Flavors ADA Nugget Ice	Generic	100+
16-1579	Cabinet Stand for 30" Dispenser, Assembled, 30"W x 29"D x 30"H		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		
Ice Storage	290 lbs		
Electrical	115/60		
Dimensions	30"W x 30.5"D x 40.25"H		



[16-1579](#)



[85-14816-12](#)

FS 44" Ice Beverage Dispenser, Sixteen Drink Options

Part Number	Description	Graphic Package	Flavor Possibilities
75-9999-081209	IBD 44" 16 Drink/ 12 Bonus Flavors, 2 Ice Chutes	Generic	100+
Ice Storage	400 lbs		
Electrical	115/60		
Dimensions	44.875"W x 30.5"D x 40.25"H		



[75-9999-081209](#)

FS 60" Ice Beverage Dispenser, Thirty-Two Drink Options

Part Number	Description	Graphic Package	Flavor Possibilities
75-9999-090908	IBD 60" 32 Drink/ 24 Bonus Flavors, Cube/Nugget, ADA	Generic	200+
75-9999-100302	IBD 60" 32 Drink/ 24 Bonus Flavors, Cube/Nugget	None	200+
Ice Storage	580 lbs		
Electrical	115/60		
Dimensions	60.75"W x 30.5"D x 40.25"H		



[75-9999-081209](#)



Alpine Cold Carbonated Ice Beverage Dispensers

Hard plumbed syrup and water lines deliver excellent, icy cold drinks. Versatile valve configurations and a portion control option allow for easy beverage cost monitoring.

- Built in cold carbonation technology
- Stainless steel construction; interior and exterior
- LED lighting, 115/60 electrical
- Three way back block allows for complete carb/non-carb flexibility without depressurizing the system
- Height: 40.25" x Depth: 30.5"

IBD4500CB Cold Carbonated Ice Beverage Dispenser

Part Number	Description	Graphic Package	Ice Storage
85-4546CB-111	IBD22CB 22"W Dispenser 6 LEV Self-Serve Lever	Coca-Cola	200 lbs
85-4528CB-211P	IBD25CB 25"W Dispenser 8 LPV Self-Serve Lever	Pepsi-Cola	234 lbs
85-4548CB-211P	IBD30CB 30"W Dispenser 8 LPV Self-Serve Lever	Pepsi-Cola	290 lbs
85-4541CB-211P	IBD30CB 30"W Dispenser 10 LPV Self-Serve Lever	Pepsi-Cola	290 lbs
KCUBEDISP	Bin Thermostat Required When Mounting Ice-O-Matic CIM Series Ice Maker		
82-3484-SP	Heavy Duty 4" Stainless Steel Leg Kit 3/8"-16		



[85-4546CB-111](#)

CED 600 Cold Carbonated Dispensers

- R290 Refrigerant, 1/3 HP Compressor
- Top Louvers for Ventilation
- 3-Way Back Block
- Stainless Steel Construction
- Improved Insulation CFC Free/0 GWP
- Lancer™ Electronic Ice Bank Control
- Removable Refrigeration Deck for Ease of Service

CED 600 Cold Carbonated Counter Electric, Six Drink Options

Part Number	Description	Graphic Package	3-Way Back Block
385-15006XX-211PIA	CED 600 1/3 HP 6 LPV Self Serve Lever Illuminated Shroud	Pepsi	Yes
82-1704-SP	CED 600 Leg Kit		
Ice Bank	20 lbs		
Electrical	115/60		
Dimensions	26.86"H x 16.86"W x 25.56"D		



[385-15006XX-211PIA](#)

Tower 300 Island Base Dispensers

- Stainless steel construction
- Designed for easy installation
- All valves can be serviced independently, other valves available
- Key lock switch

Tower 300 Dispensers

Part Number	Description	Flex Manifold
85-3131-111	Tower 301 1 LEV Self Serve Lever 7.5"W	N/A
85-3132-111	Tower 302 2 LEV Self Serve Lever 7.5"W	N/A
85-3133-111	Tower 305 5 LEV Self Serve Lever 18.5"W	2-1-2
85-3136-111	Tower 306 6 LEV Self Serve Lever 23.5"W	3-1-2
85-3138-111	Tower 2308 8 LEV Self Serve Lever 23"W	5-2-1
Electrical	115/60	
1, 2 Valve Dimensions	7.5"W x 9.25"D x 16.5"H	
5 Valve Dimensions	18.5"W x 10.5"D x 16"H	
6, 8 Valve Dimensions	23.5"W x 13.75"D x 16"H	



[85-3132-111](#)



[85-3136-111](#)



ICDI Drop-In Dispensers

- Stainless steel construction with sealed in high performance cold plate
- 3/4" drain with strainer to prevent ice blockage
- Stainless Steel flooded soda manifold and multiple plain water configurations
- Ice bin insulated with CFC free structural foam
- Tower designed with removable splash plate and drip tray for easy cleaning
- Optional top merchandiser or back marquee features, with lighted graphics or LCD screen
- Key lock switch

15 X 23 Drop-In Dispensers

Part Number	Description	Graphic Package	Flex Manifold
85-3076-111-GB	ICDI, 6 LEV Self Serve Lever	Generic	3-2-1
85-3076-111	ICDI, 6 LEV Self Serve Lever	Coca-Cola	3-2-1
261836	Conversion Stand For 15" x 23" Drop-In, Unassembled, 18.3"W x 26.4"D x 36.1"H		
Ice Storage	60 lbs		
Electrical	115/60		
Dimensions	15"W x 23"D x 33.375"H		



[261836](#)



[85-3076-111-GB](#)

23 X 23 Drop-In Dispensers

Part Number	Description	Graphic Package	Flex Manifold
85-2376-111-GB	ICDI, 6 LEV Self Serve Lever	Generic	3-2-1
85-2376-111	ICDI, 6 LEV Self Serve Lever	Coca-Cola	3-2-1
85-2376-110	ICDI, 6 LEV Portion Control	Coca-Cola	3-2-1
85-2346T-111	ICDI, High Performance, 6 LEV Self Serve Lever	Coca-Cola	3-2-1
85-2378-111-GB	ICDI, 8 LEV Self Serve Lever	Generic	3-1-1-3
85-2378-111	ICDI, 8 LEV Self Serve Lever	Coca-Cola	3-1-1-3
85-2378-110	ICDI, 8 LEV Portion Control	Coca-Cola	3-1-1-3
85-2378T-111	ICDI, High Performance, 8 LEV Self Serve Lever	Coca-Cola	3-1-1-3
85-2378T-112	ICDI, High Performance, 8 LEV EasyFill	Coca-Cola	3-1-1-3
252536	Conversion Stand For 23" x 23" Drop-in, Unassembled, 25.1"W x 25.1"D x 36.1"H		
85-2302-08-SP	Marquee Assembly For 2323 General Beverage Drop-In Dispenser		

Ice Storage	100 lbs
Electrical	115/60
Dimensions	25.2"W x 25.2"D x 42.4"H



[252536](#)



[85-2378-111-GB](#)

30 X 23 Drop-In Dispensers

Part Number	Description	Graphic Package	Flex Manifold
85-2348T-111	ICDI, High Performance, 8 LEV Self Serve Lever	Coca-Cola	3-1-1-3
85-2348T-110	ICDI, High Performance, 8 LEV Portion Control	Coca-Cola	3-1-1-3
84-1006/01	Conversion Stand For 30" x 23" Drop-in, Unassembled, 32.1"W x 25.1"D 30" x 36.1"H		

Ice Storage	130 lbs
Electrical	115/60
Dimensions	35.25"H x 30"W x 23"D



[84-1006/01](#)



[85-2348T-111](#)



Bridge Towers

Designed with a modern shape, color and Lancer Flow Control Valves (LFCV), the Bridge Tower serves drinks by touching the brand on the screen.

- Exterior panels developed for Coca-Cola®
- Lancer Flow Control Valves mounted on a standard chassis
- Small footprint
- Up to 10 syrups

Bridge Towers

Part Number	Description
85-3266-22124-60	6 Lancer Flow Control Valves
85-3266-22124-64	6 Lancer Flow Control Valves 4 Bonus Flavors
85-3266-22124-00	10 Lancer Flow Control Valves
75-3266-22124-00-03	Tower Package 10 Lancer Flow Control Valves
Electrical	110-230 VAC/50-60Hz
Dimensions	12.8"W x 17.3"D x 24"H



[85-3266-22124-60](#)

Mustang Universal Beverage Dispensers

Sleek, compact design with all the capabilities of large beverage dispensers in a small footprint. Advanced crew facing display incorporates optional second interface, enabling both crew serve and self serve.

- Small footprint, only 8" wide, plumbed as a bar gun
- Up to 10 syrups, flow rate up to 2 oz/sec.
- Flavor shots can be configured as brands
- ADA compliant

Wunder-Bar

Mustang Dispensers

Part Number	Description
WB-MU-01-02	Mustang Bar Mount Dispenser No Rear Screen 8 Brands
WB-MU-02-02	Mustang Bar Mount Dispenser With Rear Screen 8 Brands
WB-MU-03-02	Mustang Counter Top Dispenser No Rear Screen 8 Brands
WB-MU-04-02	Mustang Counter Top Dispenser With Rear Screen 8 Brands
Bar Mount Dimensions	8"W x 12.25"D x 20"H (16" above counter, 4" below)
Counter Top Dimensions	8"W x 12.25"D x 16"H



[WB-MU-01-02](#)



[WB-MU-02-02](#)



[WB-MU-03-02](#)



[WB-MU-04-02](#)

Unicorn Beverage Dispensers

- Beautifully crafted, eye level dispenser promotes brand advertising
- The through bar mounting is sleek, self-contained, and has a small footprint
- Products can be served with pinpoint accuracy by pulling the handle, holding the flavor button, or by the optional portion control buttons
- Lancer Flow Control Valve (LFCV) technology produces the highest quality drinks
- Accommodates up to four brands and carbonated water.

Unicorn Beverage Dispenser, Four Drink Options

Part Number	Description	Graphic Package
85-3161R-21-11111	Through counter tower, portion control LFCV-R, with transformer	Coca-Cola
85-3161R-21-21222	Through counter recirculating tower, portion control LFCV-R, no medallion	Generic
85-3161R-21-23222	Through counter tower, LFCV-R, no portion control, no medallion	Generic
85-3161R-12-2204	Through counter recirculating tower, LFCV Valve Single Flavor	Generic
85-9951Z-20-GB	Delta 9100 High Performance Cold Carb Remote Recirculation Chiller	
Electrical	24V/50/60Hz	
Tower Dimensions	9.12"W x 14"D x 27.5"H	
Control Box (Valves)	13.075"W x 8.12"D x 6.07"H	



[85-9951Z-20-GB](#)



[85-3161R-21-21222](#)



CED Counter Electric Post-Mix Soda Dispensers

Lancer's Counter Electric Dispensers (CED) are designed using the highest quality materials and proven technology providing customers with consistent drink quality.

- Stainless steel exterior and interior
- All valves can be serviced independently
- All installation from front of unit
- 24V secondary transformer
- Insulation is CFC-free, O GWP, structural foam
- Flex manifold configuration for multiple non carbonated drinks
- Lancer electronic ice bank control
- CFC-free, R134A refrigerant
- Key lock switch

CED 500, Four Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-0504A-111-GB	CED 504 1/4 HP 4 LEV Self Serve Lever	General Beverage	2-2
85-0504A-211-NG	CED 504 1/4 HP 4 LPV Self Serve Lever	None	2-2
82-0025-SP	CED 500 Leg Kit		
85-0552A	CED 500 Chiller 1/4 HP 115/60 2 Circuits		
Ice Bank	17 lbs		
Water Bath	5 gal		
Electrical	115/60		
Dimensions	10.375"W x 25.25"D x 27.5"H		



[85-0552A](#)



[85-0504A-111-GB](#)

CED 1500, Six Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-1506A-211-GB	CED 1506 1/3 HP High Performance 6 LPV Self Serve Lever	General Beverage	3-2-1
85-1596A-111-GB	CED 1506E 1/3 HP 6 LEV Self Serve Lever	General Beverage	3-2-1
85-1596A-101-GB	CED 1506E 1/3 HP 6 LEV Push Button	General Beverage	3-2-1
82-1049	CED 1500E Leg Kit		
Ice Bank	30 lbs		
Water Bath	12 gal		
Electrical	115/60		
Dimensions	19.187"W x 24"D x 25.375"H		



[85-1506A-211-GB](#)

[85-1596A-111-GB](#)

CED 2500, Eight Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-2508A-111-GB	CED 2508 3/4 HP 8 LEV Self Serve Lever	General Beverage	3-1-1-3
82-0344	CED 2500 Leg Kit		
85-2554A	CED 2500 Chiller 3/4 HP 115/60 4 Circuits		
Ice Bank	55 lbs		
Water Bath	21 gal		
Electrical	115/60		
Dimensions	26"W x 27.125"D x 31.25"H		



[85-2554A](#)



[85-2508A-111-GB](#)



JUICE DISPENSERS

CED Counter Electric Post-Mix Juice Dispenser

Same features detailed on the previous page

CED 1500 - Juice, Six Drink Options

Part Number	Description	Graphic Package	Flex Manifold
85-1516A-211-GB	CED 1506E 1/3 HP 6 LPV Self Serve, Ambient Juice	General Beverage	3-2-1
82-1049	CED 1500E Leg Kit		
Ice Bank	30 lbs		
Water Bath	12 gal		
Electrical	115/60		
Dimensions	19.187"W x 24"D x 25.375"H		



[85-1516A-211-GB](#)

CED Counter Electric Post-Mix Soda Dispensers

Lancer's latest technology for energy savings and sustainability.

- 3-way back block offers carbonated and non-carbonated beverage flexibility
- Available with 4 to 8 post-mix dispensing valves that can be serviced independently
- LEV® valves standard, other valves available upon request
- Improved insulation is CFC free, 0 GWP (Global Warming Potential) structural foam
- Removable refrigeration deck for ease of service
- Lancer electronic ice bank control
- Stainless steel construction exterior and interior

CED 600, Five or Six Drink Options

Part Number	Description	Graphic Package	3-Way Back Block
385-15206XX-111MCEA	CED 600 Non-Carb 6 LEV Self Serve Lever R290	Coca-Cola	Yes
82-1704-SP	CED 600 Leg Kit		
85-9951Z-20-GB	Delta 9100 High Performance Cold Carb Remote Recirculation Chiller Up To 6 Valves R134A 115/60		
Ice Bank	20 lbs		
Compressor	1/3 HP		
Electrical	115/60		
Dimensions	16.86"W x 25.56"D x 26.86"H		



[85-9951Z-20-GB](#)



[385-15206XX-111MCEA](#)

CED 800, Eight Drink Options

Part Number	Description	Graphic Package	3-Way Back Block
385-25208XS-111X20	CED 800 Non-Carb 8 LEV Self Serve Lever R290	Generic	Yes
82-7620	CED 800 Leg Kit		
85-2554A	CED 2500 Chiller 3/4 HP 4 Circuits R134A 115/60		
Ice Bank	50 lbs		
Compressor	3/4 HP		
Electrical	115/60		
Dimensions	23.96"W x 28.49"D x 32.27"H		



[85-2554A](#)



[385-25208XS-111X20](#)



RBD Refrigerated Beverage Dispensers

RBD is designed for fresh, premium, handcrafted and better-for-you beverages. Industry leading tap and lever technology makes dispensing fresh beverages clean and easy.

- No drip dispense including drinks with pulp
- Adjustable temperature control
- Symmetrical bowl cooling
- R513a low GWP refrigerant
- Electrical: 115/60

RBD 1100, Two or Three Drink Options

Part Number	Description	Dimensions
85-11112A-GRY	RBD 1100 1/6 HP Double 3.2 Gal Bowls	15.75"W x 17"D x 28"H
85-11114A-GRY	RBD 1100 1/3 HP Triple 3.2 Gal Bowls	23.62"W x 17"D x 28"H
85-11122A-GRY	RBD 1100 1/3 HP Double 5.3 Gal Bowl	15.75"W x 17"D x 29.13"H
85-11124A-GRY	RBD 1100 1/3 HP Triple 5.3 Gal Bowls	23.62"W x 17"D x 29.13"H



[85-11122A-GRY](#)



[85-11124A-GRY](#)

Starline® Bubblers

- Built for dependability and many years of reliable service
- Black powder coated, matte finished side panels
- Stainless steel front panel
- High capacity, energy efficient stainless steel cooling dome
- Epoxy coated condenser
- Units are U.L. and N.S.F. certified
- Removable drip tray and cup rest

Bubblers

Part Number	Valve Configuration	Dimensions
900-0020	Dual 5 Gallon Bowls	16"W x 19"D x 29"H



[900-0020](#)

TEA AND COFFEE DISPENSERS

Touchscreen Tower Carb and Non-Carb Tea Dispensers

- Lancer Link™ compatible for real-time dispenser health monitoring and beverage performance data
- Alternative beverage offerings
- Carbonated or non-carbonated
- Dispense up to 10 brands
- Large 10.4" interactive touchscreen
- Customizable user interface and customizable LED lighting patterns
- Small footprint: 9.4" x 18.7"
- Countertop installation
- Includes Aether water filter cartridge for tea

Touchscreen Tower (TST), Six to Ten Drink Options

Part Number	Description	Graphic Package
75-3260-30124-60C-03	TsT Tower Package, 6 Brands	MyTea North America
75-3260-30124-80-03	TsT Tower Package, 8 Brands	MyTea North America
75-3260-30124-00-03	TsT Tower Package, 10 Brands	MyTea North America

Electrical 120V, 50/60hz

Dimensions 9.4"W x 18.7"D x 26.75"H



[75-3260-30124-60C-03](#)

[75-3260-30124-80-03](#)



Ambient Post-Mix Dispensing Urns

- Suitable for all non-carbonated bag-in-box products, including tea, juice, flavored water and coffee products
- Flow rate 1.5 to 3.0 oz. per second at 3:1 to 7:1 ratio
- Robust design with few moving parts
- Superior reliability, easy to install and service
- Easily sanitized
- Product mixing in nozzle limits contamination, true post-mix
- Nozzle and diffuser removable with no tools for cleaning




Gas Driven BIB Pump Urns

- Superior ratio control - meets all national brand standards
- Dispenser requires BIB pump system sold separately
- No electrical required

Dispensing Urns

Part Number	Description	Valve	Pump	Graphics	Dimensions
925-0002-000	Oval With Drip Tray	Single	BIB	None	6.03"W x 13"D x 22.75"H
925-0002-000-51	Oval With Base Extension	Single	BIB	None	6.03"W x 13"D x 22.75"H
925-0001-100	Oval With Drip Tray	Single	BIB	Gold Peak	6.03"W x 13"D x 22.75"H
925-0002-300	Oval With Drip Tray	Single	BIB	Lipton	6.03"W x 13"D x 22.75"H
925-0010-303	Scalloped Oval With Drip Tray	Double	BIB	Lipton	12.625"W x 18.75"D x 24"H
925-0003-101	Square With Drip Tray	Double	BIB	Gold Peak	10"W x 13"D x 22.5"H



Electric Four Flavor Urns

- Superior ratio control - meets all national brand standards
- Flow rate 2 oz. per second at 5:1 ratio
- Membrane touch button product activation

Dispensing Urn

Part Number	Description	Valve	Pump	Graphics	Dimensions
959-0007-01	4 Flavor Electric NCD GEN II Pepsi Thermoformed Multi Brand	Single	Electric	None	6.25"W x 16.26"D x 17.7"H
959-0007-02	4 Flavor Electric NCD GEN II Pepsi Brisk Illuminated Merchandiser	Single	Electric	None	6.25"W x 16.26"D x 17.7"H



Ambient Electric Post-Mix [Variety Tea Tower](#) (VTT)

- Up to four non-carbonated tea flavors in a small footprint
- Easy-to-use interface enables your guests to customize and blend flavors
- Guests will touch the flavor button and pull the tea lever to dispense
- Beverage selection will stay active for 5 seconds after guest stops dispensing to allow guest to "top off" their beverage.
- Ratio range 4:1-6:1, 5.5:1 factory setting
- Flow rate 2.0 oz/sec
- Electrical 120V/60Hz with grounded plug

Ambient Variety Tea Towers

Part Number	Description	Dimensions
WB-RT-4-N	4 Flavor Ambient Tea Dispenser	10.00"W x 14.12"D x 22.50"H
WB-RT-4-N-ADA	4 Flavor Ambient Tea Dispenser ADA	10.00"W x 14.12"D x 22.50"H

Wunder-Bar





Ambient Post-Mix Gas Driven Towers

- Perfect for individual specialty beverage applications such as adding non-carbonated iced tea, lemonade, cold brewed coffee or other new age beverages to existing fountain system
- New non-contact / push-to-pour dispensing
- Branding in identification windows and on valves



[925-0035](#)

Ambient Push-To-Pour Dispensers

Part Number	Description	Dimensions
925-0036	Ambient Dispenser With 2 Push-To-Pour Valves	7.25"W x 18.25"D x 21.25"H
925-0035	Ambient Dispenser With 3 Push-To-Pour Valves	10.5"W x 18.25"D x 21.25"H
925-0037	Ambient Dispenser With 4 Push-To-Pour Valves	13.75"W x 18.25"D x 21.25"H

Refrigerated Nitro Coffee Dispensers

This frothy nitrogenated beverage with a beer-like head is rich in flavor, smooth to the palate, and provides an adult beverage feeling without the alcohol. Cold brew coffee is a source of antioxidants, and has less acidity and more caffeine than hot brews.



[CR-1-iN2-2P](#)



[DBF-40SAC-N-CHROME](#)

Part Number	Description
DBF-40SAC-N-CHROME	Lancer Nitro Fusion Coffee Dispenser, One Circuit, Chrome Faucet, R134a, 115V/60, 13"W x 25.4"D x 20.07"H. Includes drip tray, tap and handle, syrup pump, valve box assembly, and Nitrogenator. Requires primary and secondary regulator, tubing and hose clamps
CR-1-iN2-2P	Crysalli Countertop Profusion Beverage Dispensing System With Premix Tank Couplers
IN2-DD2P-D	Crysalli Direct Draw Profusion Nitro Beverage Dispensing System With "D" Style Keg Couplers, Two Tap Air Cooled Column Tower With Stainless Steel Faucets, N2 Primary Regulator And Two Secondary Regulators, 50 Micron Washable Particulate Filter, 115V/60, 24"W x 30.125"D x 49.25"H
IN2-DD2P-P	Crysalli Direct Draw Profusion Nitro Beverage Dispensing System With Premix Tank Couplers, Two Tap Air Cooled Column Tower With Stainless Steel Faucets, N2 Primary Regulator And Two Secondary Regulators, 50 Micron Washable Particulate Filter, 115V/60, 24"W x 30.125"D x 49.25"H

[IN2-DD2P-D](#)
[IN2-DD2P-P](#)



[CR-CPS-FS](#)



[CR-CPS-DI](#)



[CR-CPSW-DI](#)



[CCP2000-UCR-CBR](#)

Crysalli Cabinet and Drop-in Water Dispensers

Part Number	Description	Sparkling	Chilled Still	Dimensions
CR-CPS-FS	Free Standing Cold Carb Water Dispenser With Cold Plate And CBR-V2 Tower	X	X	17"W x 24"D x 62.75"H
CR-CPS-DI	Drop-In Cabinet Dispenser Cold Plate System With CBR-V2 Tower	X	X	17"W x 25"D x 50.75"H
CR-CPSW-DI	Drop-In Cabinet Dispenser Cold Plate System With CBR-V2 Tower		X	17.13"W x 24.9"D x 40"H
CCP2000-UCR-CBR	Self Contained Water Dispense System With CBR-V2C Tower, Water Filter, CO2 Tank Mount	X	X	24"W x 22"D x 58.25"H



Crysalli Countertop Sparkling, Chilled and Still Water Dispensers

The self-contained systems are designed with an integrated cold carbonation system and are available with pull handle dispense faucets which are ideal for wait staff service, or push button dispensing valves that are ideal for self-service applications.



[CR-1-3V](#)



[CR-1PB-3V](#)



[CR-2-3V](#)



[CR-2PB-3V](#)



[BFS-V3-M](#)

[Crysalli Countertop Dispensers](#)

Part Number	Description	Sparkling	Chilled Still	Ambient Still	Dimensions
<u>CR-1</u>	Countertop Water Dispenser 2 Pull Handle Faucets	X	X		12.375"W x 31"D x 24.5"H
<u>CR-1-3V</u>	Countertop Water Dispenser 3 Pull Handle Faucets	X	X	X	12.375"W x 31"D x 24.5"H
<u>CR-1PB</u>	Countertop Water Dispenser 2 Push Button Valves	X	X		12.375"W x 31"D x 24.5"H
<u>CR-1PB-3V</u>	Countertop Water Dispenser 3 Push Button Valves	X	X	X	12.375"W x 31"D x 24.5"H
<u>CR-1SW</u>	Countertop Water Dispenser 2 Pull Handle Faucets		X		12.375"W x 25.75"D x 24.5"H
<u>CR-1SW-PB</u>	Countertop Water Dispenser 2 Push Button Valves		X		12.375"W x 23.75"D x 24.5"H
<u>CR-2</u>	Countertop Water Dispenser 2 Pull Handle Faucets	X	X		20"W x 28"D x 24.75"H
<u>CR-2-3V</u>	Countertop Water Dispenser 3 Pull Handle Faucets	X	X	X	20"W x 28"D x 24.75"H
<u>CR-2-PB</u>	Countertop Water Dispenser 2 Push Button Valves	X	X		20"W x 26"D x 24.75"H
<u>CR-2PB-3V</u>	Countertop Water Dispenser 3 Push Button Valves	X	X	X	20"W x 28"D x 24.75"H
<u>CR-2SW</u>	Countertop Water Dispenser 2 Pull Handle Faucets		X		20"W x 28"D x 24.75"H
<u>CR-2SW-PB</u>	Countertop Water Dispenser 2 Push Button Valves		X		20"W x 26"D x 24.75"H
<u>CM-1PB</u>	Countertop Water Dispenser 1 Button Water Graphics	X	X		4.5"W x 10"D x 17.875"H
<u>CM-2-PB</u>	Countertop Water Dispenser 2 Push Buttons	X	X		10.25"W x 8.75"D x 18.5"H
<u>CM-2-PB-RDP</u>	Countertop Water Dispenser 2 Push Buttons, Recessed Drain Pan	X	X		10.625"W x 10"D x 18.8"H
<u>CM-V2W</u>	Countertop Or Wall Mount Water Dispenser Two Faucet Chrome	X	X		10.69"W x 10"D x 20.75"H
<u>CP2000-CT2</u>	Countertop Water Dispenser 2 Pull Handle Faucets	X	X		12"W x 26"D x 20.75"H
<u>CP2000-CT2-PB</u>	Countertop Water Dispenser 2 Push Button Valves	X	X		12"W x 21.5"D x 20.75"H
<u>CP2000-CT3</u>	Countertop Water Dispenser 3 Pull Handle Faucets	X	X	X	12"W x 26"D x 20.75"H
<u>CP2000-CT3-PB</u>	Countertop Water Dispenser 3 Push Button Valves	X	X	X	12"W x 26"D x 20.75"H
<u>CP-JR-CT1SWF-K</u>	Countertop Water Dispenser 1 Pull Handle Faucet Water Filter Leak Sensor And Install Kit		X		10.625"W x 21.25"D x 17"H
<u>CP-JR-CT1SWF-PB-K</u>	Countertop Water Dispenser 1 Push Button Valve Water Filter Leak Sensor And Install Kit		X		10.75"W x 18.125"D x 17"H
<u>CP-JR-CT2FR-K</u>	Countertop Water Dispenser Complete 2 Pull Handle Faucets	X	X		16.625"W x 21.25"D x 17"H
<u>CP-JR-CT2FR-PB-K</u>	Countertop Water Dispenser 2 Push Button Valves Complete		X		10.75"W x 18.125"D x 17"H
<u>BFS-V1-M</u>	Countertop Water Dispenser 1 Button Chilled Still Water		X		12"W x 7"D x 20"H
<u>BFS-V1-PCTM</u>	Countertop Water Dispenser 2 Button Chilled Still Water		X		12"W x 7"D x 20"H
<u>BFS-V2-M</u>	Countertop Water Dispenser 2 Button Sparkling & Chilled Water	X	X		12"W x 7"D x 20"H
<u>BFS-V2-PCTM</u>	Countertop Water Dispenser 4 Button Sparkling & Chilled Water	X	X		12"W x 7"D x 20"H
<u>BFS-V3-M</u>	Countertop Water Dispenser 3 Button Sparkling, Chilled, Ambient	X	X	X	12"W x 7"D x 20"H
<u>BFS-V3-PCTM</u>	Countertop Water Dispenser 6 Button Sparkling, Chilled, Ambient	X	X	X	12"W x 7"D x 20"H



DISPENSING EQUIPMENT

Crysalli Towers and Drip Trays

Part Number	Description	Dimensions
CBR-V1C-SDLX	Tower 1 Faucet Chrome Self-Closing Faucet Lever Dispense	20"H
CBR-V1C-SSX	Tower 1 Faucet Chrome Self-Closing Faucet	20"H
CBR-V2BLC-SDLX	Tower 2 Faucet Black Chrome SSX Faucet Lever Dispense	20.25"H
CBR-V2C-SDLX	Tower 2 Faucet Chrome Self-Closing Lever	20.25"H
CBR-V2C-SSX	Tower 2 Faucet Chrome Self-Closing Faucet	20.25"H
CBR-V3C-SDLX	Tower 3 Faucet Chrome SSX Faucet Lever Dispense	20.5"H
CBR-V3C-SSX	Tower 3 Faucet Chrome Self-Closing Faucet	20.5"H
CM-T-4V-PBV	Tee Tower 4 Valve Post-Mix Soda With LED Buttons And Drain Base	20"W x 12"D x 17.375"H
CM-T-6V-PBV	Tee Tower 6 Valve Post-Mix Soda With LED Buttons And Drain Base	20"W x 12"D x 17.375"H
CM-T-8V-PBV	Tee Tower 8 Valve Post-Mix Soda With LED Buttons And Drain Base	20"W x 12"D x 17.375"H
CR-X3PB-COMP	Tower 1 Faucet 3 Button Single Spout Low Volume Water	12.5"H
CR-F2S-G26SS-N2	Tower 2 N2 Faucets Industrial Pipe SS	6"W x 6"D x 13"H
DP-CT	SS Countertop 10" Drip Tray With Drain Pipe	10"W x 6"D x 0.75"H
DP-CT-LD	SS Countertop 10" Drip Tray No Drain Pipe	10"W x 6"D x 0.75"H
RDP-1SSQ-1CL	SS Flush Mount Recessed Drip Tray For CBR-V1 Tower	12"W x 15.125"D x 0.75"H
RDP-1SSQ-2CL	SS Flush Mount Recessed Drip Tray For CBR-V2 Tower	12"W x 15.125"D x 0.75"H
RDP-3-SSQ	SS Flush Mount Recessed Drip Tray For CBR-V3 Tower	15"W x 18.125"D x 0.75"H
X100306C SPARKLING	Ergonomic Chrome Handle Sparkling Water Graphic	
X100306C CHILLED	Ergonomic Chrome Handle Still Water Graphic	
X100306C STILL	Ergonomic Chrome Handle Chilled Still Graphic	



[CBR-V1C-SDLX](#)




[CBR-V1C-SSX](#)



[CBR-V2C-SDLX](#)



[CBR-V2C-SSX](#)



[CR-F2S-G26SS-N2](#)



[CR-X3PB-COMP](#)



[Sparkling](#) [Chilled](#) [Still](#)

[DP-CT](#)

[RDP-1SSQ-1CL](#)



[SERENITY-CBRM](#)



[CBDS-P2000-R-UC-R4/6](#)
[CBDS-P2000-SW-4/6](#)



[CBDS-UCM1-R4/6](#)
[CBDS-UCW-4/6](#)



[CBDS-UCM2-2CL-R6/8](#)
[CBDS-UCM2-SW-2CL-6/8](#)



[CBDS-UCM2-2CL-S0096-R6](#)
[CBDS-UCM2-2CL-S0096-R8](#)



[CP2000-R-UC-BH](#)
[CP2000-SW-BH](#)



[CR-UCM2](#)
[CR-UCM2-2CL](#)
[CR-UCM2-SW-2](#)

Crysalli Chillers

Part Number	Description	Sparkling	Chilled Still	Dimensions
CP-JR-UC-SW-BH-K	Complete Undercounter/Remote Chilled Still Water System, Install Kit With Water Filter And Leak Block Sensor Up To 5'		X	10.5"W x 14.375"D x 18.125"H
SERENITY-CBRM	Complete Undercounter Cold Carb Water Chiller System With CBR-V2 Mini Tower, Install Kit With Water Filter And Leak Block Sensor Up To 4'	X	X	10.5"W x 14.375"D x 18.125"H
SERENITY-X3	Complete Undercounter Water Chiller System With CR-X3 Push Button Faucet, Install Kit With Water Filter And Leak Block Sensor Up To 4'	X	X	10.5"W x 14.375"D x 18.125"H
CBDS-P2000-R-UC-R4	Undercounter Recirculating Fountain Cold Carb Chiller 4 Syrup Lines	X		11.75"W x 17.5"D x 16.5"H
CBDS-P2000-R-UC-R6	Undercounter Recirculating Fountain Cold Carb Chiller 6 Syrup Lines	X		11.75"W x 17.5"D x 16.5"H
CBDS-P2000-SW-4	Undercounter Recirculating Fountain Non-Carb Chiller 4 Syrup Lines		X	11.75"W x 17.5"D x 16.5"H
CBDS-P2000-SW-6	Undercounter Recirculating Fountain Non-Carb Chiller 6 Syrup Lines		X	11.75"W x 17.5"D x 16.5"H
CP2000-R-UC-BH	Undercounter Recirculating Cold Carb Chiller For CR-X3PB-COMP Tower	X	X	11.75"W x 17.5"D x 16.5"H
CP2000-SW-BH	Undercounter Recirculating Chiller For CP2000-SW-BH		X	11.75"W x 17.5"D x 16.5"H



Crysalli Chillers Continued

Part Number	Description	Sparkling	Chilled Still	Dimensions
CBDS-UCM1-R4	Remote Recirculating Fountain Cold Carb Chiller 4 Syrup Lines Up To 35'	X		12"W x 23.5"D x 24.5"H
CBDS-UCM1-R6	Remote Recirculating Fountain Cold Carb Chiller 6 Syrup Lines Up To 35'	X		12"W x 23.5"D x 24.5"H
CBDS-UCM2-2CL-R6	Remote Recirculating Fountain Cold Carb Chiller 6 Syrup Lines Up To 45'	X		20"W x 20"D x 20"H
CBDS-UCM2-2CL-R8	Remote Recirculating Fountain Cold Carb Chiller 8 Syrup Lines Up To 45'	X		20"W x 20"D x 20"H
CBDS-UCM2-2CL-S0096-R6	Remote Recirculating Fountain Cold Carb Chiller 6 Syrup Lines Up To 75'	X		20"W x 26"D x 20"H
CBDS-UCM2-2CL-S0096-R8	Remote Recirculating Fountain Cold Carb Chiller 8 Syrup Lines Up To 75'	X		20"W x 26"D x 20"H
CBDS-UCM2-SW-2CL-6	Remote Recirculating Fountain Non-Carb Chiller 6 Syrup Lines Up To 45'		X	20"W x 20"D x 20"H
CBDS-UCM2-SW-2CL-8	Remote Recirculating Fountain Non-Carb Chiller 8 Syrup Lines Up To 45'		X	20"W x 20"D x 20"H
CBDS-UCW-4	Remote Recirculating Fountain Non-Carb Chiller 4 Syrup Lines Up To 35'		X	12"W x 18.75"D x 24.5"H
CBDS-UCW-6	Remote Recirculating Fountain Non-Carb Chiller 6 Syrup Lines Up To 35'		X	12"W x 18.75"D x 24.5"H
CR-UCW-BH	Remote Chiller For Single Tap Tower Up To 35'		X	12"W x 18.75"D x 24.5"H
CR-UCM1	Remote Recirculating Cold Carb Chiller For Dual or Triple Tap Tower Up To 35'	X	X	12"W x 23.5"D x 24.5"H
CR-UCM2	Remote Recirculating Cold Carb Chiller For Dual or Triple Tap Tower Up To 45'	X	X	20"W x 20"D x 20"H
CR-UCM2-2CL	Remote Recirculating Cold Carb Chiller For Multi-Tower Station Up To 45'	X	X	20"W x 20"D x 20"H
CR-UCM2-SW-2	Remote Recirculating Chiller For Multi-Tower Station Up To 45'		X	20"W x 20"D x 20"H

ICE / WATER DISPENSERS

With the exception of GEMD270A2, the dispensers require manual filling, or an ice machine can be mounted on top of the dispenser. Lancer dispensers are designed for cubed ice (nugget ice model is available upon request). Ideal for hospitals, cafeterias, restaurants and offices.

Countertop Ice / Water Dispensers

Part Number	Dispenser Operation	Power	Bin Storage	Dimensions (WxDxH)
GEMD270A2**	Touch-Free	115/60/1	12 lbs	15.5" x 25.5" x 34.5"
IOD150	Cup Activated	115/60/1	150 lbs	22.25" x 30.69" x 35.63"
IOD200	Cup Activated	115/60/1	200 lbs	30.25" x 30.69" x 35.63"
IOD250	Cup Activated	115/60/1	250 lbs	30.25" x 30.69" x 39.63"
85-4420H	Cup Activated	115/60/1	180 lbs	22" x 30.5" x 35.375"
85-4420H-02	Cup Activated	115/60/1	180 lbs	22" x 30.5" x 35.375"
85-4420H-02-SSM*	Cup Activated	115/60/1	180 lbs	22" x 30.5" x 35.375"
85-4430H	Cup Activated	230/50/1	180 lbs	22" x 30.5" x 35.375"
85-4440H	Cup Activated	115/60/1	250 lbs	30" x 30.5" x 35.375"
85-4440H-02	Cup Activated	115/60/1	250 lbs	30" x 30.5" x 35.375"

* Stainless Steel Merchandiser

** Produces Pearl Ice® Up to 274 lbs Per Day, and Dispenses Ice / Water

Ice-O-Matic
Ice. Pure and Simple



[GEMD270A2](#)



[IOD150](#)

LANCER
WORLDWIDE



[85-4420H-02](#)



[85-4440H-02](#)



[19-0036](#)

T&S Glass Filler Water Valve

[Click here](#) or scan this QR code to view our water filtration catalog





DISPENSING EQUIPMENT

ICE CHESTS

- Stainless steel construction, insulated, lids included
- Barbed inlet and outlet connections on bottom of bin
- Pre-mix cold plates available
- NSF approved



Free Standing Ice Chests

Part Number	Description	Dimensions	Ice Storage
85-0461	15x22 Lancer Ice Chest, No Legs, 8 Circuit Post-Mix Cold Plate	15"D x 22"W x 14"H	60 lbs
85-0461-01	15x22 Lancer Ice Chest, Knock Down Leg Kit, 8 Circuit Post-Mix Cold Plate	15"D x 22"W x 33.75"H	60 lbs
96-1100-8	15x22 Multiplex Ice Chest, Knock Down Leg Kit, 8 Circuit Post-Mix Cold Plate	15.18"D x 22.18"W x 33.71"H	60 lbs
FS-1522-8LS	15x22 Taprite Ice Chest, Knock Down Leg Kit, 8 Circuit Post-Mix Cold Plate	15"D x 22"W x 33.5"H	60 lbs
85-0462	21x23 Lancer Ice Chest, No Legs, 9 Circuit Post-Mix Cold Plate	21"D x 23"W x 14.25"H	100 lbs
85-0462-01	21x23 Lancer Ice Chest, Knock Down Leg Kit, 9 Circuit Post-Mix Cold Plate	21"D x 23"W x 33.75"H	100 lbs
96-1200-9	21x23 Multiplex Ice Chest, Knock Down Leg Kit, 9 Circuit Post-Mix Cold Plate	21"D x 23"W x 33.71"H	80 lbs
FS-2123-9LS	21x23 Taprite Ice Chest, Knock Down Leg Kit, 9 Circuit Post-Mix Cold Plate	21"D x 23"W x 33.5"H	80 lbs

[96-1100-8](#)
[96-1200-9](#)

Drop-In Ice Chests

Part Number	Description	Dimensions	Ice Storage
85-0408	15x22 Lancer Ice Chest With 8 Circuit Post-Mix Sealed-in Cold Plate	15"D x 22"W x 14.25"H	60 lbs
DI-1522-8	15x22 Taprite Ice Chest With 8 Circuit Post-Mix Sealed-in Cold Plate	16.88"D x 23.88"W x 14.25"H	60 lbs
DI-2123-9	21x23 Taprite Ice Chest With 9 Circuit Post-Mix Sealed-in Cold Plate	22.75"D x 24.75"W x 14.25"H	80 lbs



[Leg Kit](#)



[85-0408](#)



[DI-1522-8](#)



[DI-2123-9](#)

Glastender® Ice Chests

- Stainless steel construction with one-piece seamless top and backsplash, and sliding lids
- ABS plastic breaker strip creates thermal barrier to prevent heat transfer, makes lid slide easier
- Tubing chase available centered in backsplash of 12" and larger models; Specify TC-BS
- Available in 6" incremental lengths from 6" to 48"
- 24" deep version provides larger ice bin, not just a deck extension on the 19" deep model
- Ten circuit available with all 24" and wider models (add suffix '-CP10' to model number)
- Extra deep version is optional (add suffix '-ED' to model number)
- CFC free foamed-in-place insulation
- Adjustable stainless steel bullet feet



[IBM-18X30](#)

Free Standing Ice Chests

Part Number	Description	Dimensions	Ice Storage
IBA-24-CP10-TC-BS	Ice Bin With Center Tube Chase and Sealed in 10 Circuit Cold Plate	24"W x 19"D x 37"H	67 lbs
IBA-30-CP10-TC-BS	Ice Bin With Center Tube Chase and Sealed in 10 Circuit Cold Plate	30"W x 19"D x 37"H	84 lbs
IBB-30-CP10-TC-BS	Ice Bin With Center Tube Chase and Sealed in 10 Circuit Cold Plate	30"W x 24"D x 37"H	106 lbs
IBA-36-CP10-TC-BS	Ice Bin With Center Tube Chase and Sealed in 10 Circuit Cold Plate	36"W x 19"D x 37"H	100 lbs
IBB-36-CP10-TC-BS	Ice Bin With Center Tube Chase and Sealed in 10 Circuit Cold Plate	36"W x 24"D x 37"H	127 lbs
IB-38X24-CP10	Pass-Thru Ice Bin With Sealed in 10 Circuit Cold Plate	38"W x 24"D x 37"H	175 lbs
IBA-48-CP10-TC-BS	Ice Bin With Center Tube Chase and Sealed in 10 Circuit Cold Plate	48"W x 19"D x 37"H	134 lbs
IBB48-CP10	Ice Bin With Sealed in 10 Circuit Cold Plate	48"W x 24"D x 37"H	170 lbs
IBM-18X30	Mobile Ice Bin With Bottom Shelf, Casters And Drain	30"W x 18"D x 30"H	85 lbs



DISPENSING EQUIPMENT

PORTABLE BARS

Stylish, portable beverage bars for hosting in any environment. Impact-resistant, waterproof polyethylene will not crack, dent, bubble, chip, rust or break. Easy to clean. Select from three systems: economy for bottle and can service, partial or complete soda gun set up systems for pre-mix (canisters) or post-mix (bag-in-box). All models include speed rail and 80-pound capacity ice sink with cover, although BAR540 sink comes uncovered.

Available in three sizes:

- Large BAR730 is perfect for banquets and cocktail events. 72.75"W x 26"D x 48"H. Designer is 77.63"W.
- Mid-size BAR650 fits into standard elevators and is ideal for small to mid-size functions. 67.5"W x 28.5"D x 47.5"H.
- Small BAR540 is ultra portable for off-premise use and events with limited space. 54"W x 26"D x 46"H.



Manhattan



Sedona



Bar 730



Bar 650 Granite Gray




**Bar 540 With
Coal Black Counter**

Portable Cambars®

Part Number	Description
BAR540110	Portable Cambar Small Basic System Black
BAR540615	Portable Cambar Small Basic System Charcoal Gray
BAR540DS670	Portable Cambar Small Designer Style Base With Coal Black Counter
BAR650110	Portable Cambar Mid-Size Basic System Black
BAR650191	Portable Cambar Mid-Size Basic System Granite Gray
BAR650CP110	Portable Cambar Mid-Size Basic System With Cold Plate Black
BAR650CP191	Portable Cambar Mid-Size Basic System With Cold Plate Granite Gray
BAR650DS667	Portable Cambar Mid-Size Basic System Manhattan
BAR650DS668	Portable Cambar Mid-Size Basic System Sedona
BAR650SDSX667	Portable Cambar Mid-Size Designer Style 5 Canisters Pre-Mix Manhattan
BAR650SDSX668	Portable Cambar Mid-Size Designer Style 5 Canisters Pre-Mix Sedona
BAR650DSMP667	Portable Cambar Mid-Size Complete Post-Mix System 110V Manhattan
BAR650DSMP668	Portable Cambar Mid-Size Complete Post-Mix System 110V Sedona
BAR650DSPMT2667	Portable Cambar Mid-Size Complete Post-Mix System With Water Tank 220V Manhattan
BAR650DSPMT2668	Portable Cambar Mid-Size Complete Post-Mix System With Water Tank 220V Sedona
BAR650DSPMT667	Portable Cambar Mid-Size Complete Post-Mix System With Water Tank 110V Manhattan
BAR650DSPMT668	Portable Cambar Mid-Size Complete Post-Mix System With Water Tank 110V Sedona
BAR650DX110	Portable Cambar Mid-Size Complete Pre-Mix 5 Canister System Black
BAR650DX189	Portable Cambar Mid-Size Complete Pre-Mix 5 Canister System Mahogany
BAR650PM110	Portable Cambar Mid-Size Post-Mix 110V Black
BAR650PM189	Portable Cambar Mid-Size Post-Mix 110V Mahogany
BAR650PMT110	Portable Cambar Mid-Size Post-Mix With Water Tank 110V Black
BAR650PMT189	Portable Cambar Mid-Size Post-Mix With Water Tank 110V Mahogany
BAR650PMT220110	Portable Cambar Mid-Size Post-Mix With Water Tank 220V Black
BAR650PMT220189	Portable Cambar Mid-Size Post-Mix With Water Tank 220V Mahogany
BAR650PMT220420	Portable Cambar Mid-Size Post-Mix With Water Tank 220V Black With Granite Gray Front
BAR650PMT420	Portable Cambar Mid-Size Post-Mix With Water Tank 110V Black With Granite Gray Front

Complete descriptions and [accessories](#) available at totalapex.com

Part Number	Description
BAR730110	Portable Cambar Large Basic System Black
BAR730189	Portable Cambar Large Basic System Mahogany
BAR730CP110	Portable Cambar Large With Cold Plate Black
BAR730CP189	Portable Cambar Large With Cold Plate Mahogany
BAR730DS667	Portable Cambar Large Basic System Manhattan
BAR730DS668	Portable Cambar Large Basic System Sedona
BAR730DSCP667	Portable Cambar Large Basic System With Cold Plate Manhattan
BAR730DSCP668	Portable Cambar Large Basic System With Cold Plate Sedona
BAR730SDSX667	Portable Cambar Large Pre-Mix 6 Canister Manhattan
BAR730SDSX668	Portable Cambar Large Pre-Mix 6 Canister Sedona
BAR730DSMP667	Portable Cambar Large Complete Post-Mix System 110V Manhattan
BAR730DSMP668	Portable Cambar Large Complete Post-Mix System 110V Sedona
BAR730DSPMT2667	Portable Cambar Large Complete Post-Mix System With Water Tank 220V Manhattan
BAR730DSPMT2668	Portable Cambar Large Complete Post-Mix System With Water Tank 220V Sedona
BAR730DSPMT667	Portable Cambar Large Complete Post-Mix System With Water Tank 110V Manhattan
BAR730DSPMT668	Portable Cambar Large Complete Post-Mix System With Water Tank 110V Sedona
BAR730DX110	Portable Cambar Large Complete Pre-Mix 7 Canister System Black
BAR730DX189	Portable Cambar Large Complete Pre-Mix 7 Canister System Mahogany
BAR730PM110	Portable Cambar Large Post-Mix 110V Black
BAR730PM189	Portable Cambar Large Post-Mix 110V Mahogany
BAR730PM191	Portable Cambar Large Post-Mix 110V Granite Gray
BAR730PM194	Portable Cambar Large Post-Mix 110V Granite Sand
BAR730PMT110	Portable Cambar Large Post-Mix With Water Tank 110V Black
BAR730PMT189	Portable Cambar Large Post-Mix With Water Tank 110V Mahogany
BAR730PMT220110	Portable Cambar Large Post-Mix With Water Tank 220V Black
BAR730PMT220189	Portable Cambar Large Post-Mix With Water Tank 220V Mahogany
BAR730PMT420	Portable Cambar Large Post-Mix 110V With Water Tank Black With Granite Gray Front



DISPENSING

Refreshing

RESULTS