

Frozen Beverage Dispensers



Apex offers a full line of high quality frozen beverage dispensers, parts and accessories.



DISPENSING *Refreshing* RESULTS




FROZEN BEVERAGE DISPENSERS




Frozen Beverage Dispensers
EVERYONE LOVES FROZEN™

FBD FROZEN BEVERAGE DISPENSERS


- OptiPour™ technology provides a fantastic pour every time. Engineering advancements enable a higher overrun, using more gas than product to provide a more consistent, better looking and tasting drink.
- Inline Carbonation™ proprietary advanced carbonation control system electronically controls gas injection to ensure the correct drink profile.
- OptiFreeze™ maintains product consistency to deliver the most consistent frozen beverage, drink after drink.
- Built-in diagnostics make it easier to troubleshoot and use. Active readout monitoring for technicians and operators show what the issue is thus spending less time troubleshooting.
- Access from the front of the unit makes servicing FAST & maximizes uptime.
- RapidFreeze™ cold chamber system improves refreeze time while reducing the compressor workload and increasing frozen beverage dispenser durability.
- Video door merchandising provides large digital advertising space and interactive platform allows remote content management.
- Optional remote condensing reduces utility costs by transferring heat outside.




**TWO FLAVOR
372 SERIES**




**THREE FLAVOR
373 SERIES**



**TWO FLAVOR
772 SERIES**



**THREE FLAVOR
773 SERIES**



**FOUR FLAVOR
774 SERIES**



FROZEN BEVERAGE DISPENSERS

FBD NON-ALCOHOLIC CARBONATED AND UNCARBONATED DISPENSERS

BevTrak™ Remote Monitoring with built-in diagnostics for faster troubleshooting to minimize machine downtime and lost sales is integrated in dispensers shown with bold italic part numbers below.

Part Number	Exterior	Flavors	Condenser	Barrel Size	Continuous Draw	Electrical	Valves*	Gas Type**	Merchandise
<i>372-611-0002</i>	Stainless	2	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>372-611-0010</i>	Stainless	2	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>372-611-0011</i>	Stainless	2	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	ADA DDV	M	Short
<i>372-611-0013</i>	Stainless	2 FUB	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	Domed 0.313	C	Tall
<i>373-611-0001</i>	Stainless	3	Air Cooled	128 oz.	2,160 oz./hour	215-245V/60/1- 20 amp	Delta	C	Short
<i>373-611-0003</i>	Stainless	3	Air Cooled	128 oz.	2,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>373-611-0006</i>	Stainless	3 FUB	Air Cooled	128 oz.	2,160 oz./hour	215-245V/60/1- 20 amp	Domed 0.313	C	Tall
<i>772-611-0004</i>	Stainless	2	Air Cooled	176 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>772-611-0010</i>	Stainless	2	Air Cooled	176 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>772-611-1009</i>	Stainless	2	Air Cooled	176 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Delta	C	Tall Video
<i>772-621-0001</i>	Stainless	2	Remote	176 oz.	5,020 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>772-631-1001</i>	Red	2	Water Cooled	176 oz.	4,850 oz./hour	215-245V/60/1- 20 amp	Delta	C	Tall
<i>773-611-0001</i>	Stainless	3	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>773-611-0002</i>	Stainless, extended splash	3	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>773-611-0008</i>	Stainless, extended splash	3	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>773-611-0009</i>	Stainless	3	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>773-611-0010</i>	Stainless	3	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall Video
<i>773-621-0001</i>	Stainless	3	Remote	176 oz.	5,760 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>773-621-0002</i>	Stainless	3	Remote	176 oz.	5,760 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>773-621-0003</i>	Stainless, extended splash	3	Remote	176 oz.	5,760 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>773-631-0001</i>	Stainless	3	Water Cooled	176 oz.	5,580 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>773-631-1002</i>	Stainless	3	Water Cooled	176 oz.	5,580 oz./hour	215-245V/60/1- 20 amp	Delta	C	Tall
<i>773-631-1003</i>	Black	3	Water Cooled	176 oz.	5,580 oz./hour	215-245V/60/1- 20 amp	Delta	C	Short
<i>774-611-0001</i>	Stainless	4	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>774-611-0003</i>	Stainless	4	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>774-611-0007</i>	Stainless	4	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	Domed 0.175	C	Tall Video
<i>774-611-0008</i>	Stainless	4	Air Cooled	176 oz.	5,160 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall Video
<i>774-621-0001</i>	Stainless	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>774-621-0002</i>	Stainless	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall Video
<i>774-621-0003</i>	Stainless	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>774-621-0004</i>	Stainless	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	Domed 0.175	C	Tall Video
<i>774-621-0005</i>	Stainless, extended splash	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>774-621-0006</i>	Stainless, extended splash	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Short
<i>774-621-0007</i>	Stainless, extended splash	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Mid-Size
<i>774-621-0008</i>	Black	4	Remote	176 oz.	6,240 oz./hour	215-245V/60/1- 20 amp	ADA DDV	C	Tall
<i>774-631-1002</i>	Stainless	4	Water Cooled	176 oz.	5,580 oz./hour	215-245V/60/1- 20 amp	Delta	C	Tall

Bold italic part numbers have BevTrak™ Remote Monitoring with built-in diagnostics

* Domed Faceplate has 0.175" or 0.313" orifice. Pneumatic Faceplate has 0.175" or 0.313" orifice

**Gas Type: C = CO₂, N = Nitrogen, M = Multi-gas, U = Universal (CO₂, Nitrogen)

Alcoholic flavors can be blended at the nozzle.

FUB = Frozen Uncarbonated Beverage



FROZEN BEVERAGE DISPENSERS

FBD MULTI-FLAVOR DISPENSERS

At the touch of a finger, customers can instantly mix the frozen beverage and flavor of their choice: lemonade mixed with strawberry, mango, blueberry, or peach; frozen coffees with a shot of mocha, caramel, hazelnut, or french vanilla, or a frozen cocktail with a shot of their favorite flavor and spirit.

- **Model 372** has 1 static base flavor, and 1 base flavor with 4 flavor shots, yielding up to 17 combinations.
- **Model 771** has 1 base flavor with 4 flavor shots, yielding up to 16 combinations.
- **Model 772** has 2 base flavors with 8 flavor shots, yielding up to 32 combinations.


Part Number	Exterior	Flavors	Condenser	Barrel Size	Continuous Draw	Electrical	Valves*	Gas Type**	Merchandise
372-611-0003	Black	2	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	ADA DDV Domed 0.175	M	Short
372-611-0004	Stainless	2	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	ADA DDV Domed 0.175	U	Short
372-611-0006	Stainless	2	Air Cooled	128 oz.	1,800 oz./hour	215-245V/60/1- 20 amp	ADA DDV Domed 0.175	U	Tall
771-611-0001	Black	1	Air Cooled	184 oz.	3,600 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Tall
771-611-0002	Black	1	Air Cooled	184 oz.	3,600 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Short
771-611-0003	Stainless	1	Air Cooled	184 oz.	3,600 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	M	Tall
771-611-0005	Stainless	1	Air Cooled	184 oz.	3,600 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Tall Video
772-611-0002	Black	2	Air Cooled	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Tall
772-611-0003	Stainless	2	Air Cooled	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Tall
772-611-7006	Stainless, extended splash	2 Premix	Air Cooled	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.313	C	Extra Tall
772-611-0007	Stainless	2 FUB	Air Cooled	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.313	U	Tall
772-611-0008	Stainless	2	Air Cooled	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Tall Video
772-611-0009	Black	2	Air Cooled	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Short
772-621-0003	Stainless, extended splash	2	Remote	184 oz.	4,500 oz./hour	215-245V/60/1- 20 amp	Pneumatic 0.175	U	Tall

* Domed Faceplate has 0.175" or 0.313" orifice. Pneumatic Faceplate has 0.175" or 0.313" orifice


**Gas Type: C = CO₂, N = Nitrogen, M = Multi-gas, U = Universal (CO₂, Nitrogen)

Alcoholic flavors can be blended at the nozzle.


FUB = Frozen Uncarbonated Beverage




**MULTI-FLAVOR
372 SERIES**



**MULTI-FLAVOR
771 SERIES**



**MULTI-FLAVOR
771 SERIES**



**MULTI-FLAVOR
772 SERIES**



FROZEN BEVERAGE DISPENSERS

FBD FROZEN COCKTAIL PRE-MIX DISPENSERS

FBD's 77X FC can pour a wide range of frozen cocktails, including daiquiris, sangrias, margaritas, frosés, and more. Serving frozen cocktails using a blender is noisy, produces inconsistent drinks, leaves room for variation of alcohol dosing or recipe, and requires time to clean/wash the blender after the drink is poured. The FC Series features a proprietary technology that eliminates the need for frequent cleaning, and provides consistent, high-quality, quickly served drinks every time.

Part Number	Exterior	Flavors	Condenser	Barrel Size	Continuous Draw	Electrical	Valves*	Gas Type**	Merchandise
772-641-0002	Black	2	Air Cooled	176 oz	5,160 oz/hour	215-245V/60/1- 30 amp	Domed 0.313	M	Short
773-641-0002	Black	3	Air Cooled	176 oz	5,160 oz/hour	208-254V/60/1- 20 amp	Domed 0.313	M	Short

* Domed Faceplate has 0.175" or 0.313" orifice. Pneumatic Faceplate has 0.175" or 0.313" orifice

**Gas Type: C = CO₂, N = Nitrogen, M = Multi-gas, U = Universal (CO₂, Nitrogen)

FUB = Frozen Uncarbonated Beverage



774-641-XXXX



773-641-XXXX



772-641-XXXX



771-641-XXXX



772-641-XXXX



FBD WARRANTY

EXTENDED WARRANTY OPTIONS FOR ALL FBD DISPENSERS

Part # 60-1001-0002, 2 barrel one year labor warranty
 Part # 60-2001-0002, 2 barrel two years labor warranty
 Part # 60-3001-0002, 2 barrel three years labor warranty

Part # 60-1001-0003, 3 barrel one year labor warranty
 Part # 60-2001-0003, 3 barrel two years labor warranty
 Part # 60-3001-0003, 3 barrel three years labor warranty

Part # 60-1001-0004, 4 barrel one year labor warranty
 Part # 60-2001-0004, 4 barrel two years labor warranty
 Part # 60-3001-0004, 4 barrel three years labor warranty


There are many variables depending on the beverage you will pour. If you are unsure if this dispenser is the right choice to meet your needs, please email sales@totalapex.com.




FROZEN BEVERAGE DISPENSERS

FBD REMOTE CONDENSERS AND INSTALL KITS

Part Number	Description
12-3003-0027	Dual remote condenser 230V/60HZ, 6 lb. receiver (no install kit)
12-3003-0035	Dual remote condenser install kit, 230V/60HZ condenser, 6 lb. receiver and 50 ft. line set
12-3003-0036	Dual remote condenser install kit, 230V/60HZ condenser, 6 lb. receiver and 100 ft. line set
12-3003-0032	Remote condenser install kit, 230V/60HZ condenser, 6 lb. receiver and 50 ft. line set
12-3003-0033	Remote condenser install kit, 230V/60HZ condenser, 6 lb. receiver and 100 ft. line set
12-3003-0034	Remote condenser, 230V/60HZ, 6 lb. receiver, flex lines only
12-3003-0003	Flex line 6 ft. with hard copper line set 50 ft.
22-2451-0002	Copper line set 3/8" x 5/8" 50 ft. roll
22-2451-0006	Copper line set 3/8" x 5/8" 100 ft. roll
12-2474-0085	Install kit for FBD 372 multi-flavor dispenser
12-2474-0073	Install kit for FBD 771 or 561 bulk system
12-2474-0086	Install kit for FBD 772 multi-flavor dispenser, 10 pumps, QCDII connectors
12-2474-0001	Install kit for 2 barrel dispenser with independent CO2 system (bottle CO2)
12-2474-0002	Install kit for 2 barrel dispenser with independent bulk CO2 system
12-2474-0004	Install kit for 4 barrel dispenser with independent CO2 system (bottle CO2)
12-2474-0005	Install kit for 4 barrel dispenser with independent bulk CO2 system
12-2474-0006	Install kit for 3 barrel dispenser with independent CO2 system (bottle CO2)
12-2474-0007	Install kit for 3 barrel dispenser with independent bulk CO2 system



DUAL REMOTE CONDENSER



FBD BASE CART/CABINETS

Part Number	Description
12-2493-0022	Base cart/cabinet for FBD 372 15" wide SS pre-plumbed
12-2493-0015	Base cart/cabinet for 2 barrel dispenser 17" wide SS pre-plumbed with QCD connectors
12-2516-0003	Base cart/cabinet for 3 barrel dispenser 20.5" wide SS pre-plumbed with Coke install kit
12-2899-0007	Base cart/cabinet for 4 barrel dispenser 26" wide SS pre-plumbed
12-2493-0018	Base cart/cabinet for FBD 372 15" wide SS
12-2493-0001	Base cart/cabinet for 2 barrel dispenser 17" wide SS
12-2516-0001	Base cart/cabinet for 3 barrel dispenser 20.5" wide SS
12-2899-0001	Base cart/cabinet for 4 barrel dispenser 26" wide SS

*Pre-assembled racks available, call Apex customer service at 877-901-APEX for configuration options.



BASE CABINETS




FBD ACCESSORIES

Part Number	Description
12-K561-0001	Video door conversion kit for FBD 561 black side opening door
12-V774-KS01	Video door conversion kit for FBD 774 8"
14-0378-0001	Buck 'N Boost transformer 20 amp

Apex offers a full line of **FBD parts and accessories.**



If you don't see what you need, please call us at 877.901.APEX (2739) or visit www.totalapex.com.



12-V774-KS01



FROZEN BEVERAGE DISPENSERS

FROZEN GRANITA MACHINES

- Perfect for granita, slush, frozen iced coffee/tea, frozen margaritas, sorbet, frozen yogurt, sangria, lemonade and much more
- "Seal-Less" drive shaft makes it uniquely the most hygienic and safest product of its kind on the market today
- User-friendly, easy-to-read electronic controls
- Strong and energy-efficient refrigeration system makes the dispenser's preparation cycle process the fastest in its class
- A handle locking system makes our products a perfect fit for self- service locations
- Doesn't require periodic lubrication or seal replacements
- On-board "AutoDiagnostic" functions ensure longer product life



BB1



BB2



FCM1



FCM2



FCM3

Part Number	Description	Bowl Size	Dimensions	Power	Electrical
<u>BB1</u>	One Bowl Frozen Granita Machine	(1) 1.5 gal	10"W x 19"D x 22"H	.43HP 320W	115/120 VAC, 60Hz
<u>BB2</u>	Two Bowl Frozen Granita Machine	(2) 1.5 gal	17.5"W x 19"D x 22"H	.72HP 540W	115/120 VAC, 60Hz
<u>FCM1</u>	One Bowl Frozen Granita Machine, Programmable	(1) 3.2 gal	9.5"W x 22"D x 31"H	.67HP 500W	115/120 VAC, 60Hz
<u>FCM2</u>	Two Bowl Frozen Granita Machine, Programmable	(2) 3.2 gal	16"W x 22"D x 31"H	1.22HP 900W	115/120 VAC, 60Hz
<u>FCM3</u>	Three Bowl Frozen Granita Machine, Programmable	(3) 3.2 gal	24"W x 22"D x 31"H	1.63HP 1350W	115/120 VAC, 60Hz

FCM Autofill Systems

Part Number	Description
<u>RF21</u>	Autofill System For FCM2, Two Pumps, 5:1 Ratio, Auto Cleans/ Sanitizes, Empty BIB Alarm, 115/60
<u>RF31ELM3N</u>	Autofill System For FCM3, Three Pumps, 5:1 Ratio, Auto Cleans/Sanitizes, Empty BIB Alarm, 115/60



