

# Water Filtration



*Apex offers a full line of high quality water filtration products, parts and accessories for beverages, ice, coffee, tea, espresso and multi-purpose systems.*



DISPENSING *Refreshing* RESULTS



Apex offers a full line of high quality water filtration products, parts and accessories for beverages, ice, coffee, tea, espresso and multi-purpose systems.



## 3M Impact Series

1. Rugged polypropylene design
2. Enhanced media with pleated membrane design helps provide cyst and bacteria protection and superior sediment holding capabilities with minimal pressure drop
3. Carbon block technology has more than four times the chlorine taste and odor capacity of competitor, also features bacteria inhibition agent for improved hygiene
4. Enhanced pleated membrane has 6 times the surface area of competitor
5. Enhanced cartridges feature a 5 micron pre-filter wrap



## 3M Impact Series - Beverage

Part Number	Model	Sizing Guide Carbonator	Replacement Cartridge	Performance			Reduction Claims					
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst
<a href="#">5616101</a>	BEV130	Single	<a href="#">5615105</a> 4/pk	0.5	1.67 gpm	14,000 gal	x	x		x		x
<a href="#">5616102</a>	BEV135	Single	5615205 4/pk	1	1.67 gpm	12,600 gal	x	x		x		
<a href="#">5616201</a>	BEV140	Single	<a href="#">5613303</a>	0.2	2.1 gpm	25,000 gal	x	x		x	x	x
5616202	BEV145	Single	<a href="#">5613307</a> 2/pk	3	2.1 gpm	25,000 gal	x	x		x		
<a href="#">5616301</a>	BEV160	Dual	<a href="#">5613403</a>	0.2	3.34 gpm	35,000 gal	x	x		x	x	x
<a href="#">5616302</a>	BEV165	Dual	<a href="#">5613407</a>	3	3.34 gpm	35,000 gal	x	x		x		
<a href="#">5616401</a>	BEV190	Dual	<a href="#">5613503</a>	0.2	5 gpm	54,000 gal	x	x		x	x	x
5616402	BEV195	Dual	<a href="#">5613507</a>	3	5 gpm	54,000 gal	x	x		x		
<a href="#">5627201</a>	DWS160-L	Single	<a href="#">5613444</a>	0.2	2.5 gpm	6,000 gal	x	x	x	x	x	x

## 3M Impact Series - Multi-Equipment Combinations

Part Number	Model	Application	Replacement Cartridge	Performance			Reduction Claims						
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
<a href="#">5624301</a>	DP190	Ice, coffee, tea, cold beverage, FCB, post mix	<a href="#">5613801</a>	0.2	5 gpm	54,000 gal	x	x		x	x	x	x
<a href="#">5625501</a>	DP260	Ice, coffee, tea, cold beverage, FCB, post mix	<a href="#">5613814</a>	0.2	6.68 gpm	70,000 gal	x	x		x	x	x	x
<a href="#">5624201</a>	DP290	Ice, coffee, tea, cold beverage, FCB, post mix	<a href="#">5613802</a>	0.2	10 gpm	108,000 gal	x	x		x	x	x	x
5623603	DF290-CLX	Dual flow for steamers, combi-ovens, coffee, tea, espresso	5613807	0.2	3.34 gpm	70,000 gal/ 28,000 gal	x	x	x	x	x	x	x
<a href="#">5624102</a>	DP390	Ice, coffee, tea, cold beverage, FCB, post mix	<a href="#">5613803</a>	0.2	15 gpm	162,000 gal	x	x		x	x	x	x
<a href="#">5607708</a>	SF18-S	Scale filter plus SS tee head for ice machines and steam tables	<a href="#">5582113</a>	N/A	6 gpm	70,000 gal/ 6 months							x
<a href="#">5624601</a>	SF165	SQC high flow system for steam	<a href="#">5613407</a> 5582106	3	3.34 gpm	35,000 gal	x	x		x			x



# WATER FILTRATION

## 3M Impact Series - Ice

Part Number	Model	Sizing Guide	Replacement Cartridge	Performance			Reduction Claims						
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
<a href="#">5616003</a>	ICE120-S	Cubers up to 750 lbs. Flakers & nugget up to 1,200 lbs.	<a href="#">5615103</a>	0.5	1.5 gpm	9,000 gal	x	x	x	x		x	x
5616004	ICE125-S	Cubers up to 750 lbs. Flakers & nugget up to 1,200 lbs.	<a href="#">5615203</a>	1	1.5 gpm	10,000 gal	x	x		x			x
<a href="#">5616203</a>	ICE140-S	Cubers up to 1,000 lbs. Flakers & nugget up to 1,800 lbs.	<a href="#">5613305</a>	0.2	2.1 gpm	25,000 gal	x	x		x	x	x	x
5616303	ICE160-S	Cubers up to 1,450 lbs. Flakers & nugget up to 2,400 lbs.	<a href="#">5613405</a>	0.2	3.34 gpm	35,000 gal	x	x		x	x	x	x
5616304	ICE165-S	Cubers up to 1,450 lbs. Flakers & nugget up to 2,400 lbs.	<a href="#">5613409</a>	3	3.34 gpm	35,000 gal	x	x		x			x
<a href="#">5616403</a>	ICE190-S	Cubers up to 2,170 lbs. Flakers & nugget up to 3,593 lbs.	<a href="#">5613505</a>	0.2	5 gpm	54,000 gal	x	x		x	x	x	x
<a href="#">5616404</a>	ICE195-S	Cubers up to 2,170 lbs. Flakers & nugget up to 3,593 lbs.	<a href="#">5613509</a>	3	5 gpm	54,000 gal	x	x		x			x
<a href="#">5624503</a>	ICE260-S	Cubers up to 2,900 lbs. Flakers & nugget up to 4,800 lbs.	(2) <a href="#">5613405</a>	0.2	6.68 gpm	70,000 gal	x	x		x	x	x	x

## 3M - Hot Beverages

Part Number	Model	Sizing Guide	Replacement Cartridge	Performance			Reduction Claims						
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
	HF05-MS	Coffee / hot tea 3,000 pots	<a href="#">5609356</a>	1	0.75 gpm	1,500 gal	x	x		x			x
<a href="#">5626204</a>	BREW115-MS	Coffee / hot tea 7,000 pots 6/pk	<a href="#">5626113</a>	5	1 gpm	3,500 gal	x	x		x			x
<a href="#">5616001</a>	BREW120-MS	Coffee / hot tea 18,000 pots Satelite Brew System	<a href="#">5615109</a>	0.5	1.5 gpm	9,000 gal	x	x		x		x	x
<a href="#">5616002</a>	BREW125-MS	Coffee / hot tea 18,000 Satelite Brew System	<a href="#">5615209</a>	1	1.5 gpm	10,000 gal	x	x		x			x
5616103	BREW130-MS	Coffee / hot tea 28,000 pots Satelite Brew System	<a href="#">5615111</a>	0.5	1.67 gpm	14,000 gal	x	x		x		x	x
VH3/ HC351-S	HC351-S	OCS Series office coffee filter cartridge 6/pk	<a href="#">5626109</a>	0.5	1 gpm	3,500 gal	x	x		x		x	x
	P-124B	ScaleGard™ Pro espresso / tea	<a href="#">5609106</a>	N/A	0.5 gpm	N/A	x	x	x	x			x





## 3M CFS Series - SQC Head

Replacement Cartridge	Model	Application Guide	Performance			Reduction Claims						
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
<a href="#">5560009</a>	CFS517	Hot beverage application	5	1.3 gpm	3,500 gal	x	x		x			x
<a href="#">5581913</a>	CFS7720	Cold beverage, low flow carbonated only	5	1.5 gpm	4,800 gal	x	x		x			
<a href="#">5581916</a>	CFS7812	Cold beverage, low flow carbonated only	0.5	1.5 gpm	9,000 gal	x	x		x		x	
<a href="#">5601103</a>	CFS7812-S	Hot beverage, ice application	0.5	1.5 gpm	9,000 gal	x	x		x		x	x
<a href="#">5560017</a>	CFS8000-S	Hot beverage, ice application	5	0.3 gpm	14,000 gal							x
<a href="#">5572003</a>	CFS8110-S	Hot beverage, ice application 4/pk	5	1.5 gpm	N/A	x						x
<a href="#">5581725</a>	CFS8112EL	Cold beverage, 4/pk	1	1.67 gpm	12,600 gal	x	x		x			
<a href="#">5581727</a>	CFS8112ELS	Hot beverage, ice application 4/pk	1	1.67 gpm	12,600 gal	x	x		x			x
<a href="#">5601105</a>	CFS8812-ELX	Cold beverage, 4/pk	0.5	1.67 gpm	14,000 gal	x	x		x		x	
<a href="#">5581705</a>	CFS8576	Cold beverage, low flow carbonated only	1	1.5 gpm	10,000 gal	x	x		x			
<a href="#">5581708</a>	CFS8576-S	Hot beverage, ice application	1	1.5 gpm	10,000 gal	x	x		x			x
<a href="#">5631904</a>	CFS8720-S	Hot beverage, ice application	5	1.5 gpm	4,800 gal	x	x		x			x
<a href="#">5629901</a>	CFS9112H-SK	Hoshizaki retrofit ice filter 12/pk	1	2 gpm	21,000 gal	x	x		x			x

## 3M High Flow Series - SQC Heads

Part Number	Model	Application	Replacement Cartridge	Performance			Reduction Claims						
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
	HF20	Cold beverages 6/pk	<a href="#">5615101</a>	0.5	1.5 gpm	9,000 gal	x	x		x		x	
	HF37	Food service 4/pk	<a href="#">5632302</a>	5	1.67 gpm	6-12 months	x	x		x	x	x	x
	HF45-S	Hot beverages, ice	<a href="#">5613309</a>	3	2.1 gpm	25,000 gal	x	x		x			x
	HF45-CLXS	Ice, coffee, cold beverages	<a href="#">5637116</a>	5	2.5 gpm/ 0.7 gpm	25,000 gal	x	x	x	x			x
	HF60	Cold beverages	<a href="#">5613403</a>	0.2	3.34 gpm	35,000 gal	x	x		x	x	x	
5626002	HF60-CLS	Ice, hot coffee/tea	5625902	0.2	2.2 gpm	4,700 gal	x	x	x	x	x	x	x
	HF60-S	Hot beverages, ice	<a href="#">5613405</a>	0.2	3.34 gpm	35,000 gal	x	x		x	x	x	x
	HF65	Cold beverages, steamers, ovens	<a href="#">5613407</a>	3	3.34 gpm	35,000 gal	x	x		x			
	HF65-S	Hot beverages, ice	<a href="#">5613409</a>	2	3.34 gpm	35,000 gal	x	x		x			x
	HF65-S-SR5	Ice (A5 keyed head)	5613451	5	5 gpm	N/A	x						x
	HF90	Cold beverages	<a href="#">5613503</a>	0.2	5 gpm	54,000 gal	x	x		x	x	x	
	HF90-S	Hot beverages, ice	<a href="#">5613505</a>	0.2	5 gpm	54,000 gal	x	x		x	x	x	x
	HF90-CL	Cold beverages	5613501	0.2	5 gpm	12,500 gal	x	x	x	x	x	x	x
	HF95	Cold and hot beverages, espresso	<a href="#">5613507</a>	3	5 gpm	54,000 gal	x	x		x			
<a href="#">5626001</a>	HF160-CL	Cold beverages	5625902	0.2	2.2 gpm	4,700 gal	x	x	x	x	x	x	
5626003	HF165-CL	Cold beverages	5628902	5	2.1 gpm	7,000 gal	x	x	x	x			



[5560009](#)



[5572003](#)



[5581725](#)



[5629901](#)



[5615101](#)



[5613309](#)



[5613503](#)





## 3M - Reverse Osmosis

Part Number	Model	Application Guide	Replacement Cartridge	Performance			Reduction Claims					
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst
<a href="#">3MRO401-01A</a>	3MRO401	Under sink RO system for Arsenic, Barium, Cadmium, Chlorine Taste & Odor, Chromium, Copper, Cyst, Fluoride, Lead, Radium, Selenium, TDS, TDS Reduction, Turbidity	3MROP416-20A 3MROM413-20A 3MROP412-20A 3MROP411-20A	0.5	0.5 gpm 0.6 gmp	12 months 36 months	x	x		x		x
<a href="#">3MRO501-01</a>	3MRO501	Under sink RO system for Arsenic, Barium, Cadmium, Chlorine Taste & Odor, Chromium, Copper, Cyst, Fluoride, Lead, Nitrates, Nitrites, Radium, Selenium, TDS, TDS Reduction, Turbidity	3MROP416-20A 3MROM413-20A 3MROP412-20A 3MROP411-20A	0.5	0.5 gpm 0.6 gmp	12 months 36 months	x	x		x		x
<a href="#">5623901</a>	TFS450 RO	Commercial RO scale & TDS reduction system for coffee, hot tea, espresso, steamers & ovens	5624801	.005	280 gpm	300 gpd	x	x		x		x
<a href="#">5623901</a>	TFS450	ScaleGard™ RO cartpak and CFS membrane reduces TDS for steamers, boilers and combi-ovens 6/pk & 16/pk	<a href="#">5624803</a> <a href="#">5625004</a>	N/A	N/A	100 gpd	x	x		x		
<a href="#">6230002</a>	SGLP2-BL	Hot beverages and steamers, RO and filtered water adjustable blending	<a href="#">66-931601</a>	N/A	N/A	300 gpd, 444 gpd w/ blending	x	x		x		x
5636202	SGLP200-CL	Reverse osmosis system for steamers and combi-ovens, 5625004 sold 16/pk	5628902 (2) <a href="#">5625004</a>	5	N/A	200 gpd	x	x	x	x		x
	SGLP-RO/ FSTM075	ScaleGard™ pre-filter 4/pk	<a href="#">5570613</a>	N/A	N/A		x	x		x		
<a href="#">5612304</a>	SGLP-075	ScaleGard™ RO system with 2 gal tank and permeate pump for boilerless and flash steamers combi-ovens and espresso	<a href="#">5570613</a> 5598729	N/A	N/A	75 gpd	x	x		x		
<a href="#">5629101</a>	N/A	ScaleGard™ HP RO System with pre-filter for coffee, tea, espresso, steamers, ovens	<a href="#">5613529</a> <a href="#">5626903</a> 5626904	0.2	2.1 gpm/ 3.34 gpm	930-1,040 gpd	x	x	x	x		x
	HFRO-500	ScaleGard™ HP replacement membrane	<a href="#">5626903</a>	N/A	N/A							
	HF90-CLX-RO	ScaleGard™ HP pre-filter for beverages and steam	<a href="#">5637308</a>	0.2	1.67 gpm/ 5 gpm	14K chloramine/ 35K chlorine	x	x	x	x	x	x
	STM150/ TSR150	ScaleGard™ TFC RO membrane filter M cartridge reduces TDS for steamers and boilers 4/pk	<a href="#">5598725</a>	N/A	N/A	150 gpd						
	STM150/ TSR150	ScaleGard™ RO TDS adjustment filter for steamers, boilers and combi-ovens 4/pk	<a href="#">5631305</a>	N/A	N/A	N/A						



[3MRO401](#)



[3MRO501](#)



[TFS450](#)



[SGLP2-BL](#)



[SGLP200-CL](#)



[SGLP-075](#)



[5629101](#)



## 3M - Softener

Part Number	Model	Application Guide	Replacement Cartridge	Performance			Reduction Claims					
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst
<a href="#">5633201</a>	SGP165BN-T	ScaleGard™ Pro Valve-in-Head System for coffee, espresso, steamers, ovens, vending	<a href="#">5633001</a>	N/A	1 gpm	719 gals. @ 9.0 gpg hardness		x	x	x		x
<a href="#">5633301</a>	SGP195BN-T	ScaleGard™ Pro Valve-in-Head System for coffee, espresso, steamers, ovens, vending	<a href="#">5633101</a>	N/A	1 gpm	1,200 gals. @ 9.0 gpg hardness		x	x	x		x
	PS195	ScaleGard™ Blend Series for espresso	<a href="#">5633104</a>	1	0.5 gpm	4350 grains		x	x	x		x
	P124BN	ScaleGard™ Pro Series for espresso 4/pk	<a href="#">5633801</a>	1	0.5 gpm	423 gal		x	x	x		x



[5633201](#)



[5633301](#)



[5633104](#)



[5633801](#)

## 3M - Sump Style Replacement Cartridges

Part Number	Model	Manufacturer	Performance			Reduction Claims					
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst
<a href="#">5559307</a>	CFS117 10" carbon pre-filter	3M/Cuno	5	2 gpm	10,000 gal	x	x		x		
<a href="#">5559414</a>	CFS117-S 10" carbon pre-filter	3M/Cuno	5	2 gpm	10,000 gal	x	x		x		x
<a href="#">5612111</a>	CFS110 10" pre-filter	3M/Cuno	5	8 gpm	varies	x					
<a href="#">5612604</a>	CFS-CB10 10" Legacy filter 6/pk	3M/Cuno	10	2 gpm	2,000 gal	x	x		x		
<a href="#">5589807</a>	CFS215-2 20" filter 4/pk	3M/Cuno	5	10 gpm	varies	x	x		x		
<a href="#">5560320</a>	CFSFSR-5 Polypropylene pre-filter 15/pk	3M/Cuno	5	6 gpm	varies	x					
<a href="#">5618907</a>	CFS210-2 20" filter 4/pk	3M/Cuno	5	45 gpm	varies	x	x		x		
<a href="#">5621201</a>	CFS110-C20 20" filter 15/pk	3M/Cuno	5	N/A	varies	x					
<a href="#">5559415</a>	CFS017S-C20 20" filter 15/pk	3M/Cuno	5	6 gpm	20,000 gal	x	x		x		x



[5559307](#)



[5559414](#)



[5612111](#)



[5612604](#)



[5589807](#)



[5560320](#)



[5618907](#)



[5621201](#)



[5559415](#)

## Sump Style Housings

Part Number	Description	Application
<a href="#">5557610</a>	CFS02T 20" housing clear sump shut-off no gauge 2/pk	3M CFS style
<a href="#">5639206</a>	CFS22 housing for high flow point-of-entry applications 1" NPT 2/pk	3M CFS style
<a href="#">5557503</a>	CFS01S 10" opaque housing valve-in-head without gauge 4/pk	3M CFS style



[5557610](#)



[5639206](#)



[5557503](#)



## 3M - Everpure Replacements

Part Number	Model	Filter Guide	Performance			Reduction Claims					
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst
<a href="#">5631602</a>	CFS9720-S	3M replacement for Everpure MC <sup>2</sup> /2CB5-S/4CB5-S	5	1.5 gpm	4,800 gal	x	x		x		x
<a href="#">5589003</a>	CFS9720	3M replacement for Everpure cold beverage system	5	1.5 gpm	4,800 gal	x	x		x		
<a href="#">5631605</a>	CFS9112	3M replacement for Everpure MC <sup>2</sup> cartridge	1	1.5 gpm	10,000 gal	x	x		x		
<a href="#">5631609</a>	CFS9812X-S	3M replacement for Everpure MH <sup>2</sup> /i2000 <sup>2</sup> 12/pk	0.5	1.5 gpm	9,000 gal	x	x		x		x
<a href="#">5631709</a>	CFS9812-ELX	3M replacement for Everpure MC <sup>2</sup> /XC <sup>2</sup> 4/pk	0.5	1.67 gpm	14,000 gal	x	x		x		x
<a href="#">5631710</a>	CFS9812ELX-S	3M replacement for Everpure MH <sup>2</sup> i4000 <sup>2</sup> 4/pk	0.5	1.67 gpm	14,000 gal	x	x		x		x

3M replacement cartridges for Everpure systems



## Aquamor - Everpure Replacements

Part Number	Application	Filter Guide	Performance			Reduction Claims					
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst
<a href="#">105088</a>	Beverage	BGE-1200 replacement for Everpure OW-200L, OW2, OW4, 2H-L, 4H-L, 4/pk	0.5	1.67 gpm	3,500 gal	x	x		x		
<a href="#">105067</a>	Ice, Hot Beverage	BGE-1200S replacement for Everpure OW-200L, OW2-Plus	0.5	1.67 gpm	3,500 gal	x	x		x		x
<a href="#">105055</a>	Ice	BGE-3100S replacement for Everpure 7SI, 4/pk	5	2.9 gpm	12 months	x					x
<a href="#">105053</a>	Beverage	BGE-3200 replacement for Everpure 2FC, 4CB5, 4FC, 4FC5	0.5	2.1 gpm	29,000 gal	x	x		x		x
<a href="#">105054</a>	Ice, Hot Beverage	BGE-3200S replacement for Everpure 2FC-S, 2K-Plus, 4CB5-K, 4SI	0.5	2.1 gpm	29,000 gal	x	x		x		x
<a href="#">105056</a>	Beverage	BGE-4200 replacement for Everpure 7CB5, 7FC5, HC-H, MC, MD-CE	0.5	2.9 gpm	40,000 gal	x	x		x		x
<a href="#">105057</a>	Ice, Hot Beverage	BGE-4200S replacement for Everpure 7CB5-K, 7CB5-S, 7FC5-S, 7SI	0.5	2.9 gpm	40,000 gal	x	x		x		x
<a href="#">105087</a>	Ice, Hot Beverage	BGP-1200S replacement for Everpure 2H-L, 4C, H-100, H-104, H300-HSD	0.5	1.67 gpm	8,000 gal	x	x		x		x
<a href="#">105118</a>	Beverage	BGP-2300 replacement for Everpure 4CB5, EV961721, 6/pk	5	1.67 gpm	10,000 gal	x	x		x		
<a href="#">105139</a>	Ice, Hot Beverage	BGP-2300S replacement for Everpure 4CB5-K, 4CB5-S, BH <sup>2</sup> , 6/pk	5	1.67 gpm	10,000 gal	x	x		x		x
<a href="#">105121</a>	Ice, Hot Beverage	BGP-3200S replacement for Everpure PBS-400, SPA-400	0.5	2.1 gpm	31,000 gal	x	x		x		x



[105088](#)



[105067](#)



[105055](#)



[105053](#)



[105054](#)



[105056](#)



[105057](#)



[105087](#)



[105118](#)



[105139](#)



[105121](#)



## Aquamor - SQC Replacements

Part Number	Application	Filter Guide	Performance			Reduction Claims						
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
<a href="#">105069</a>	Food service	BGC-2000S polyphosphate media lime scale protection replacement for CFS 8000-S, 55854-01	10	5 gpm	N/A	x						x
<a href="#">105070</a>	Cold beverages	BGC-2100 sediment reduction replacement for CFS 8110	10	5 gpm	12 months	x						
<a href="#">105071</a>	Ice, hot bevs	BGC-2100S sediment & lime scale reduction replacement for CFS 8110-S, 6/pk	10	5 gpm	12 months	x						x
<a href="#">105072</a>	Cold beverages	BGC-2200 carbon block replacement for CFS-8812-X, CFS 8112	0.5	1.67 gpm	20,000 gal	x	x		x			
<a href="#">105073</a>	Ice, hot bevs	BGC-2200S carbon block & lime scale reduction replacement for CFS 8112-S, CFS 8112-XS	0.5	1.67 gpm	20,000 gal	x	x		x			x
<a href="#">105049</a>	Cold beverages	BGC-2300 carbon block replacement for CFS 8720, CFS 517-LS	5	1.67 gpm	10,300 gal	x	x		x			
<a href="#">105074</a>	Ice, hot bevs	BGC-2300S carbon block & lime scale reduction replacement for CFS 8720-S, CFS 517	5	1.67 gpm	10,300 gal	x	x		x			x
<a href="#">105078</a>	Cold beverages	BGC-3200 carbon block replacement for CFS 8112-EL, CFS 8812-ELX	0.5	2.1 gpm	27,000 gal	x	x		x			
<a href="#">105079</a>	Ice, hot bevs	BGC-3200S carbon block & lime scale reduction replacement for CFS 8112-ELS, CFS 8812-ELX-S	0.5	2.1 gpm	27,000 gal	x	x		x			x
<a href="#">105076</a>	Espresso & tea	BGC-3000R low acid resin scale reduction replacement for SWC900-C, SWC1350-C, 6/pk	10	0.5 gpm	1900 grain							x
<a href="#">105080</a>	Cold beverages	BGC-3300 carbon block replacement for CFS 8720-EL, CFS 8110-EL, 6/pk	5	2.1 gpm	14,000 gal	x	x		x			
<a href="#">105081</a>	Ice, hot bevs	BGC-3300S carbon block & lime scale reduction replacement for CFS 8720-ELS, 6/pk	5	2.1 gpm	14,000 gal	x	x		x			x
<a href="#">105192</a>	Hot beverages	BGC-0200S carbon block & lime scale reduction replacement for EQ-17-TL, 9/pk	5	0.5 gpm	1,500 gal	x	x		x			x
<a href="#">106046</a>	Drinking water	BGB-0200S carbon block & lime scale reduction, complete system	0.5	0.5 gpm	4,000 gal	x	x		x			x

## Aquamor - High Flow

Part Number	Application	Filter Guide	Performance			Reduction Claims						
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
		Reduces										
<a href="#">105240</a>	Food service	BGM-2123P sediment, cyst, scale and chlorine replacement for HF30-S, HF20-MS, HF20-S, 4/pk	0.2	1.7 gpm	15,000 gal	x	x		x		x	x
<a href="#">105242</a>	Food service	BGM-2125P sediment, scale and chlorine replacement for HF35-S, HF25-S, HF27-S, EQHP-10L, 4/pk	5	2.1 gpm	15,000 gal	x	x		x			x
<a href="#">105241</a>	Food service	BGM-2125X sediment and chlorine replacement for HF35, HF25, HF27, EQHP-10, 4/pk	5	2.1 gpm	15,000 gal	x	x		x			
<a href="#">105257</a>	Food service	BGM-2423P sediment, cyst, scale and chlorine replacement for HF40-S, EQHP-25L, 4/pk	0.2	3 gpm	30,000 gal	x	x		x		x	x
<a href="#">105256</a>	Food service	BGM-2423X sediment, cyst and chlorine replacement for HF40, EQHP-25, 4/pk	0.2	3 gpm	30,000 gal	x	x		x		x	
<a href="#">105253</a>	Food service	BGM-4323P sediment, cyst, scale and chlorine replacement for HF60-S, EQHP-35L, 4/pk	0.2	3.4 gpm	40,000 gal	x	x		x		x	x
<a href="#">105250</a>	Food service	BGM-4325X sediment and chlorine replacement for HF65, 4/pk	5	3.4 gpm	40,000 gal	x	x		x			
<a href="#">105252</a>	Food service	BGM-4325P sediment, scale and chlorine replacement for HF65-S, 4/pk	5	3.4 gpm	40,000 gal	x	x		x			x
<a href="#">105255</a>	Food service	BGM-4923P sediment, cyst, scale and chlorine replacement for HF90-S, EQHP-54L, 4/pk	0.2	5 gpm	60,000 gal	x	x		x		x	x
<a href="#">105261</a>	Food service	BGM-4923X sediment, cyst and chlorine replacement for HF90, EQHP-54, 4/pk	0.2	7.5 gpm	60,000 gal	x	x		x		x	
<a href="#">105254</a>	Food service	BGM-4925P sediment, scale and chlorine replacement for HF95-S, 4/pk	5	5 gpm	60,000 gal	x	x		x			x
<a href="#">105244</a>	Food service	BGM-4900N sodium softening cartridge 4.5" X 20" replacement for PS195, EQHP-SFTN, 4/pk	10	3 gpm	4,500 gpg							
<a href="#">105177</a>	Food service	BGM-P04 commercial and residential scale reduction replacement for AP431, 12/pk	N/A	10 gpm	80,000 gal							x
<a href="#">105131</a>	Ice	BGH-3200S Hoshizaki replacement for ice 4/pk	0.5	2.1 gpm	29,000 gal	x	x		x			x
<a href="#">105132</a>	Ice	BGH-4200S Hoshizaki replacement for ice 4/pk	0.5	2.9 gpm	20,000 gal	x	x		x			x





# WATER FILTRATION



[105192](#)



[105069](#)



[105078](#)



[106046](#)



[105240](#)



[105257](#)



[105253](#)



[105255](#)



[105261](#)



[105177](#)



[105132](#)

## Aquamor - Reverse Osmosis

Part Number	Application	Filter Guide	Performance			Reduction Claims					
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Scale Inhibitor
<a href="#">106080</a>	Reverse osmosis	BG-SC Sediment, rust, and chlorine reduction for BGRO system 6/pk	5			x	x		x		
<a href="#">106081</a>	Reverse osmosis	BG-M50 50 gpd membrane 1/10,000 micron for TDS reduction 6/pk	←		50 gpd	x					
<a href="#">106082</a>	Reverse osmosis	GAC carbon filter for BGRO system 6/pk					x		x		
<a href="#">106092</a>	Reverse osmosis	BG-M100-RO 100 gpd BGRO membrane 1/10,000 micron for TDS reduction 6/pk	←		100 gpd	x					

## Aquamor - Catamout

Part Number	Application	Filter Guide	Performance			Reduction Claims					
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Scale Inhibitor
<a href="#">105576</a>	Coffee, Tea	BGX1-2425P Catamout cartridge reduces particulates and chlorine, improves taste and odor. Polyphosphate reduces hardness 4/pk	5	2.1 gpm	55,000 gal	x	x		x		x

## Aquamor - Sump Style Replacements

Part Number	Model	Manufacturer	Performance			Reduction Claims					
			Micron	Flow Rate	Capacity	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Scale Inhibitor
<a href="#">105143</a>	8.3" long x 1.3" diam SI-10 scale cartridge 20/pk	Aquamor	25	N/A	6 months						x
<a href="#">105153</a>	10" x 2.5" carbon block with 4oz polyphosphate 6/pk	Aquamor	5	N/A	varies				x		x
<a href="#">B45201</a>	20" x 4.5" carbon block filter fits 19-3/4" housing 6/pk	Aquamor	1	N/A	varies				x		



[106080](#)



[105576](#)



[106081](#)



[105143](#)



[106082](#)



[105153](#)



[106092](#)



[B45201](#)



## In-Line Filters

Part Number	Model	Manufacturer	Connections	Performance			Reduction Claims			
				Micron	Flow Rate	Capacity	Sediment	Chlorine	Taste & Odor	Scale Inhibitor
<a href="#">5560215</a>	CFS717 In-line filter for coffee & ice	3M	1/4" FPT	5	0.5 gpm	1,500 gal	x	x	x	x
<a href="#">IN1011-2</a>	Granular activated carbon (GAC) for juice and tea 2" x 10"	Aquamor	1/4" QC	10	0.75 gpm	3,000 gal		x	x	x
<a href="#">IN1211-1</a>	Granular activated carbon (GAC) for juice and tea 2.5" x 12"	Aquamor	1/4" FPT	10	1 gpm	6,000 gal		x	x	
<a href="#">IN1013-1</a>	Granular activated carbon (GAC) and phosphate for coffee and espresso 2" x 10"	Aquamor	1/4" FPT	10	0.75 gpm	3,000 gal		x	x	x
<a href="#">IN1013-2</a>	Granular activated carbon (GAC) and phosphate for coffee and espresso 2" x 10" 12/pk	Aquamor	1/4" QC	10	0.75 gpm	3,000 gal		x	x	x
<a href="#">IN1213-2</a>	Granular activated carbon (GAC) and phosphate for coffee and espresso 2.5" x 12 12/pk	Aquamor	1/4" QC	10	1 gpm	6,000 gal		x	x	x
<a href="#">IN1213-3</a>	Granular activated carbon (GAC) and phosphate for coffee and espresso 2.5" x 12"	Aquamor	3/8" FPT	10	1 gpm	6,000 gal		x	x	x
<a href="#">IN1213-4</a>	Granular activated carbon (GAC) and phosphate for coffee and espresso 2.5" x 12"	Aquamor	3/8" QC	10	1 gpm	6,000 gal		x	x	x



[5560215](#)



[IN1213-4](#)

## Ice-O-Matic Filters

Part Number	Model	Sizing Guide	Replacement Cartridge	Performance		Reduction Claims						
				Micron	Flow Rate	Sediment	Chlorine	Chloramines	Taste & Odor	Bacteria	Cyst	Scale Inhibitor
<a href="#">IFI4C</a>	In-Line Filter	ICEU070/150/220/300 undercounter cube, UCG060/130 undercounter gourmet, GEMU090 pearl ice, 1/4" compression	IOMWFRC	10	1 gpm	x	x		x			x
<a href="#">IFI8C</a>	In-Line Filter	ICEU070/150/220/300 undercounter cube, UCG060/130 undercounter gourmet, GEMU090 pearl ice, 3/8" compression	IOMWFRC	10	1 gpm	x	x		x			x
<a href="#">IFQ1</a>	Water Filter, Single	CIM0320/430 cubers, GEM0450/650 pearl ice	IOMQ	0.5	1.5 gpm	x	x		x			x
<a href="#">IFQ1S</a>	Water Filter, Single	ICEU070/150/220/300 undercounter cube, UCG060/130 undercounter gourmet, GEMU090 pearl ice	IOMQ-S	0.5	0.75 gpm	x	x		x			x
<a href="#">IFQ1XL</a>	Water Filter, Single	CIM0520/630 cube, MFI0800/1256 flake, GEM0956 pearl ice	IOMQ-XL	0.5	2.25 gpm	x	x		x			x
<a href="#">IFQ2</a>	Water Filter, Dual	CIM0826/1136/1446/1545 cube, ICE1506 cube, MFI1506 flake, GEM1306 pearl ice	(2) IOMQ	0.5	3 gpm	x	x		x			x
<a href="#">IFQ2XL</a>	Water Filter, Dual	CIM1845/CIM2046 cube, MFI2306 flake, GEM2006 pearl ice	(2) IOMQXL									



[IFI4C](#)  
[IFI8C](#)



[IFQ1](#)



[IFQ1S](#)



[IFQ1XL](#)



[IFQ2](#)




[IFQ2XL](#)



## Heads and Manifolds

Part Number	Description	Application
<a href="#">6213001</a>	3/8" VH3-NPT head with gauge	3M high flow series
<a href="#">6213003</a>	3/8" FNPT, valve-in-head with bracket, shroud & plug	3M high flow series
<a href="#">6214413</a>	1/2" NH3-NPT head with gauge	3M impact series
<a href="#">6228603</a>	Dual port single manifold assembly (DP1XX)	3M impact series
<a href="#">6228503</a>	Dual port twin manifold assembly (DP2XX)	3M impact series
<a href="#">6232705</a>	ScaleGard SGHP RO expansion manifold head	3M ScaleGard HP
<a href="#">105061</a>	BGC filter head assembly with bracket	Aquamor BGC series
<a href="#">105021</a>	BGC filter head assembly with gauge	Aquamor BSS series
<a href="#">105022</a>	BGC-PR filter head, fittings, pressure relief	Aquamor BSS series
<a href="#">105011</a>	BGC-G Catamount triple water filter head with 1/2" FPT ports and gauge	Aquamor BGC series
<a href="#">105201</a>	BGM Catamount single head 3/8" NPT with rinse valve	Aquamor BGM series
<a href="#">105202</a>	BGM Catamount single head 3/8" NPT with rinse valve and pressure gauge	Aquamor BGM series
<a href="#">105206</a>	BGM Catamount head 1+1 3/4" NPT with relief valve and pressure gauge	Aquamor BGM series
<a href="#">105562</a>	BGM Catamount head manifold assembly, 4/pk	Aquamor BGM series
<a href="#">105126</a>	BGE Catamount dual head 1/2" barb ports with gauge, flush valve, pressure relief, 3/4" NPT fittings	Everpure style head
<a href="#">105128</a>	BGE Catamount triple head 1/2" barb ports with gauge, flush valve, pressure relief, 3/4" NPT fittings	Everpure style head
<a href="#">105133</a>	BGE Catamount 3+1 quad head dual 1/2" barb output ports with gauge, 3/4" NPT fittings	Everpure style head
<a href="#">105135</a>	BGE Catamount 4+1 penta head 1/2" barb ports with gauge, flush valve, pressure relief, 3/4" NPT fittings	Everpure style head
<a href="#">509015</a>	BGE single head, black and silver	Everpure style head
<a href="#">105124</a>	BGE Catamount single head 1/2" barb ports with gauge, flush valve, pressure relief, 3/4" NPT fitting	Everpure style head



**Numerous water system parts and accessories are available.  
If you don't see what you need, please call us at 877.901.APEX (2739)**



